



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6I1363

Bainbridge-Guilford Central School District

Project Name: #1 Guilford Elementary

Howard Thompson  
18 Juliard Street  
Bainbridge, NY 13733

Project / PO Number: 27986  
Received: 09/26/2016 09:15  
Reported: 11/13/2016 12:59

Analytical Testing Parameters

Client Sample ID: GLFD #1, Rm 201, S  
Lab Sample ID: J6I1363-01  
Sample Type: Grab

Collected By: Howard Thompson  
Collection Date: 09/24/16  
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	0.00115	0.0150	0.00100	mg/L		11/08/16 1753	11/10/16 1824

Analytical Testing Parameters

Client Sample ID: GLFD #6, Library, S  
Lab Sample ID: J6I1363-02  
Sample Type: Grab

Collected By: Howard Thompson  
Collection Date: 09/24/16  
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		11/08/16 1753	11/10/16 1825

Analytical Testing Parameters

Client Sample ID: GLFD #7, Room 202 C, S  
Lab Sample ID: J6I1363-03  
Sample Type: Grab

Collected By: Howard Thompson  
Collection Date: 09/24/16  
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	0.00265	0.0150	0.00100	mg/L		11/08/16 1753	11/10/16 1825



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611363

Analytical Testing Parameters

Client Sample ID: GLFD #8, Room 203, S
Lab Sample ID: J611363-04
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00267, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1826

Analytical Testing Parameters

Client Sample ID: GLFD #9, Conf Room, S
Lab Sample ID: J611363-05
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00327, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1827

Analytical Testing Parameters

Client Sample ID: GLFD #10, Room 207, S
Lab Sample ID: J611363-06
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00347, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1827



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611363

Analytical Testing Parameters

Client Sample ID: GLFD #11, Room 208, S
Lab Sample ID: J611363-07
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00253, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1828

Analytical Testing Parameters

Client Sample ID: GLFD #13, Room 210, S
Lab Sample ID: J611363-08
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1829

Analytical Testing Parameters

Client Sample ID: GLFD #19, 2nd G Gang, SC
Lab Sample ID: J611363-09
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1831



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611363

Analytical Testing Parameters

Client Sample ID: GLFD #20, 2nd G Gang, SD
Lab Sample ID: J611363-10
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00130, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1831

Analytical Testing Parameters

Client Sample ID: GLFD #33, 1st G Gang SA
Lab Sample ID: J611363-11
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00635, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1832

Analytical Testing Parameters

Client Sample ID: GLFD #34, 1st G Gang SB
Lab Sample ID: J611363-12
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00307, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1833



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611363

Analytical Testing Parameters

Client Sample ID: GLFD #35, 1st G Gang SA
Lab Sample ID: J611363-13
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00223, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1833

Analytical Testing Parameters

Client Sample ID: GLFD #36, 1st G Gang SD
Lab Sample ID: J611363-14
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1834

Analytical Testing Parameters

Client Sample ID: GLFD #39, 1st B Gang SA
Lab Sample ID: J611363-15
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00213, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1835



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6I1363

Analytical Testing Parameters

Client Sample ID: GLFD #40, 1st B Gagn SB
Lab Sample ID: J6I1363-16
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00209, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1835

Analytical Testing Parameters

Client Sample ID: GLFD #45, Room Faculty B
Lab Sample ID: J6I1363-17
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00251, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1836

Analytical Testing Parameters

Client Sample ID: GLFD #47 B Lockerroom
Lab Sample ID: J6I1363-18
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00145, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1837



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611363

Analytical Testing Parameters

Client Sample ID: GLFD #2, B Gang 2nd SA
Lab Sample ID: J611363-19
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00146, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1839

Analytical Testing Parameters

Client Sample ID: GLFD #3, B Gang 2nd SB
Lab Sample ID: J611363-20
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00133, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1839

Analytical Testing Parameters

Client Sample ID: GLFD #4, B Gang 2nd SC
Lab Sample ID: J611363-21
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00438, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1840



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611363

Analytical Testing Parameters

Client Sample ID: GLFD #5 B Gang 2nd SD
Lab Sample ID: J611363-22
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00388, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1841

Analytical Testing Parameters

Client Sample ID: GLFD #17, 2nd G Gang SA
Lab Sample ID: J611363-23
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1841

Analytical Testing Parameters

Client Sample ID: GLFD #18, 2nd G Gang SB
Lab Sample ID: J611363-24
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1842





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611363

Analytical Testing Parameters

Client Sample ID: GLFD #22, Room 212, S
Lab Sample ID: J611363-25
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00778, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1843

Analytical Testing Parameters

Client Sample ID: GLFD #24 Room 214, S
Lab Sample ID: J611363-26
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00169, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1843

Analytical Testing Parameters

Client Sample ID: GLFD #26, Room 112, SB
Lab Sample ID: J611363-27
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.0146, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1844



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611363

Analytical Testing Parameters

Client Sample ID: GLFD #28, Kitchen, SB
Lab Sample ID: J611363-28
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00263, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1845.

Analytical Testing Parameters

Client Sample ID: GLFD #29, Kitcehn, SC
Lab Sample ID: J611363-29
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1847.

Analytical Testing Parameters

Client Sample ID: GLFD #30, Room 109, S
Lab Sample ID: J611363-30
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1847.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611363

Analytical Testing Parameters

Client Sample ID: GLFD #43, Room 104, S
Lab Sample ID: J611363-31
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00160, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1848

Analytical Testing Parameters

Client Sample ID: GLFD #44, Room 103, S
Lab Sample ID: J611363-32
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00348, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1848

Analytical Testing Parameters

Client Sample ID: GLFD #41, B Gang, 1st, SC
Lab Sample ID: J611363-33
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00310, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1849



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611363

Analytical Testing Parameters

Client Sample ID: GLFD #42, B Gang, 1st SD
Lab Sample ID: J611363-34
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00303, 0.0150, 0.00100, mg/L, 11/08/16 1753, 11/10/16 1850

Laboratory

NY: Microbac Laboratories, Inc., New York Division

Definitions

- AL: Action Level
MDL: Minimum Detection Limit
RL: Reporting Limit
G: Result fails applicable NYS drinking water standards

Cooler Receipt Log

Cooler ID: Default Cooler Temp: 23.3°C

Cooler Inspection Checklist

Checklist table with 4 columns: Item, Yes, Item, Yes. Items include Custody Seals Intact, COC/Labels Agree, Received on Ice.

Project Requested Certification(s)

Table with 2 columns: Microbac Laboratories, Inc. (NY Lab ID No., Chicagoland NY Lab ID No., PA DEP ID) and New York State Department of Health / Pennsylvania Department of Environmental Protection.

Report Comments

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.

Reviewed and Approved By:

Handwritten signature of Michael Fifield

Michael Fifield
Division Manager
11/13/2016 12:59

Go Green: Contact Michael Fifield to set up email reporting and invoicing options.

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included.

3821 Buck Drive  
 Cortland NY 13045  
 Phone:(607)753-3403 Fax:(607)753-3415  
 NY #10795, EPA #NY00835

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice

MNY Workorder #

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name:	Bainbridge-Guilford	Address:	18 Juliard St. Bainbridge, NY 13733	Project#	1	Ice:	YES NO
Contact:	Howard Thompson	Phone:	607 967 6322	Composite		Cooler:	YES NO
Project#	1	Quote ID:	NY-146	PO#:	27986	Sample Temp:	23.3
Rush TAT Bus. Days:	<2 2-5 5-7 7-10	Date Req.:				Cooler Seal:	YES NO
Carbon Copy:	Yes					Pickup:	YES NO
Email Results:	Yes					Dropoff:	C W
Fax Results:	Yes					Accepted?	YES NO
Sample Information		Matrix		Number of Containers for Analysis Requested		Comments/Field Data	
Description/Location	Date	Time	Initial	Type			
1 GLFD #1, Rm 201, S	9/24/16	6:00 AM	NT	DW	1		
2 GLFD #6, LIBRARY, S	9/24/16	6:30 AM	NT	Grab	1		
3 GLFD #7, Room 202, S	9/24/16	6:30 AM	NT	DW	1		
4 GLFD #8, Rm 203, S	9/24/16	6:30 AM	NT	Grab	1		
5 GLFD #9, Conf rm, S	9/24/16	6:30 AM	NT	DW	1		
6 GLFD #10, Rm 207, S	9/24/16	6:30 AM	NT	Grab	1		
7 GLFD #11, Rm 208, S	9/24/16	6:30 AM	NT	DW	1		
8 GLFD #13, Rm 210, S	9/24/16	6:30 AM	NT	Grab	1		
Signature		Date/Time		Comments		Internal COC Required	
Sampled: <i>[Signature]</i>		9/26/16 9:15					
Received: Catherine P. Hurst							
Received:							
Received:							



J611363

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.



Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name: <u>Bainbridge-Guilford</u>						Ice: <b>YES NO</b>	
Address: <u>18 Odland St.</u>						Cooler: <b>YES NO</b>	
<u>Bainbridge NY 13733</u>						Sample Temp:	
Contact: <u>Howard Thompson</u>						Cooler Seal: <b>YES NO</b>	
Phone: <u>607 967 6322</u>						Pickup: <b>YES NO</b>	
Project: <u>#1 Guilford Elem</u>						Dropoff: <b>C W</b>	
Quote ID: <u>NY-146</u>						Accepted? <b>YES NO</b>	
Rush TAT Bus. Days: <2 2-5 5-7 7-10						Container Material	
Carbon Copy: <b>Yes</b>						Container Size (in Mil)	
Email Results: <input checked="" type="checkbox"/> <u>hthompson@bgcsd.org</u>						Preservative	
Fax Results: <b>Yes</b>						Comments/Field Data	

  

Sample Information				Number of Containers for Analysis Requested		Comments/Field Data
Description/Location	Date	Time	Initial	Matrix	Type	
1. GLED # 45, rm faculty b	9/24/16	6:15 AM	THT	1	DW Grab	Internal COC Required
2. GLED # 47 B lockeroom	9/24/16	6:15 AM	THT	1	DW Grab	
3. GLED # 2, B Gang, 2nd fl	9/24/16	6:30 AM	THT	1	DW Grab	
4. GLED # 3, B Gang, 2nd, 5th	9/24/16	6:30 AM	THT	1	DW Grab	
5. GLED # 4 " " , SC	9/24/16	6:30 AM	THT	1	DW Grab	
6. GLED # 5 " " 5th	9/24/16	6:30 AM	THT	1	DW Grab	
7. GLED # 17, 2nd G gang, 5th	9/24/16	6:30 AM	THT	1	DW Grab	
8. GLED # 18, 2nd G gang, 5th	9/24/16	6:30 AM	THT	1	DW Grab	

  

Signature	Date/Time	Comments
<u>Caitlin P. Ho</u>	9/20/16 9:15	

  

Sampled:	Microbac Cortland
Received:	
Received:	
Received:	

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice

MNY Worker #

3821 Buck Drive  
Cortland NY 13046  
Phone:(607)753-3403 Fax:(607)753-3415  
NY #10795, EPA #NY00935

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name: <u>Bainbridge-Guilford</u>						Ice: YES NO	
Address: <u>18 Juliard St.</u>						Cooler: YES NO	
<u>Bainbridge, NY 13733</u>						Sample Temp:	
Contact: <u>Howard Thompson</u>						Cooler Seal: YES NO	
Phone: <u>607 967 6322</u>						Pickup: YES NO	
Project: <u>#1 Guilford Elem</u>						Dropoff: C W	
Quote ID: <u>NY-146</u>						Accepted? YES NO	
Rush TAT Bus. Days: <2 2-5 5-7 7-10						Container Material	
Carbon Copy: Yes						Container Size (in MI)	
Email Results: <input checked="" type="checkbox"/> Yes						Preservative	
Fax Results: Yes						Comments/Field Data	

  

Sample Information		Matrix		Number of Containers for Analysis Requested		Comments/Field Data	
Description/Location	Date	Time	Initial	Type			
1 GAFD # 23, Rm 212, S	9/24/16	6:30 AM	TBT	DW	1		
2 GAFD # 24, Rm 214, S		6:30 AM	N.Y.	Grab	1		
3 GAFD # 26, Rm 112, S		6:00 AM	TBT	DW	1		Internal COC Required
4 GAFD # 28, kitchen, S		6:00 AM	TBT	Grab	1		
5 GAFD # 29 " , S		6:00 AM	TBT	DW	1		
6 GAFD # 30, Rm 109, S		6:00 AM	TBT	Grab	1		
7 GAFD # 43, Rm 104, S		6:15 AM	TBT	DW	1		
8 GAFD # 44, Rm 103, S		6:15 AM	TBT	Grab	1		

  

Signature	Date/Time	Comments
<u>Cather P. Hunt</u>	<u>9/26/16 9:15</u>	

  

Sampled: Microbac Cortland
Received:
Received:
Received:

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.



# Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice  
MNY Workorder #

3821 Buck Drive  
Corland NY 13045  
Phone:(607)753-3403 Fax:(607)753-3415  
NY #10795, EPA #NY00895

Client Information			Billing/Invoice:		
Name: <u>Bainbridge-Guilford</u>					
Address: <u>18 Juliana St.</u>					
<u>Bainbridge, NY 13733</u>					
Contact: <u>Howard Thompson</u>					
Phone: <u>607 967 6322</u>			Composite		
Project: <u>#1 Guilford Elem</u>			PO#: <u>27986</u>		
Quote ID: <u>NY-146</u>			Date Req.:		
Rush TAT Bus. Days: <2 2-5 5-7 7-10					
Carbon Copy: <u>Yes</u>					
Email Results: <input checked="" type="checkbox"/> <u>Yes</u>			Email: <u>bthompson@bgcsd.org</u>		
Fax Results: <u>Yes</u>					
Sample Information					
Description/Location	Date	Time	Initial	Matrix	Type
1 <u>GLAD #1 B Cans, Inst, sc</u>	<u>9/24/16</u>	<u>6:15 AM</u>	<u>TKT</u>	<u>1</u>	<u>DW</u>
2 <u>GLAD #2 B Cans, Inst, sc</u>	<u>9/24/16</u>	<u>6:00 AM</u>	<u>TKT</u>	<u>1</u>	<u>Grab</u>
3					<u>DW</u>
4				<u>1</u>	<u>Grab</u>
5				<u>1</u>	<u>DW</u>
6				<u>1</u>	<u>Grab</u>
7				<u>1</u>	<u>DW</u>
8				<u>1</u>	<u>Grab</u>
Print Name and Company				Signature	
Microbac Cortland				<u>Cecilia P. Hunt</u>	
Sampled:				Date/Time	
Received:				<u>9/26/16 9:15</u>	
Received:					
Received:					
Analysis Requested					
Receiving Info (Lab Use Only)					
Ice: YES NO					
Cooler: YES NO					
Sample Temp:					
Cooler Seal: YES NO					
Pickup: YES NO					
Dropoff: C W					
Accepted? YES NO					
Container Material					
Container Size(In MI)					
Preservative					
Comments/Field Data					
Internal COC Required					
Comments					

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

# Bainbridge - Guilford CSD

## GUILFORD SINKS & WATER FOUNTAINS, 9/24/2016

1. 1 - Room 201
2. 1 - Boys Gang - 2<sup>nd</sup> floor (tempered) #a
3. 1 - Boys Gang - 2<sup>nd</sup> floor (tempered) #b
4. 1 - Boys Gang - 2<sup>nd</sup> floor (tempered) #c
5. 1 - Boys Gang - 2<sup>nd</sup> floor (tempered) #d
6. 1 - Library
7. 1 - Room 202c
8. 1 - Room 203
9. 1 - Conference Bathroom
10. 1 - Room 207
11. 1 - Room 208
12. 1 - Room 209
13. 1 - Room 210
14. 1 - Drinking fountain near 212
15. 1 - Drinking fountain near elevator
16. 1 - 2<sup>nd</sup> floor custodial
17. 1 - 2<sup>nd</sup> floor girls gang (tempered) #a
18. 1 - 2<sup>nd</sup> floor girls gang (tempered) #b
19. 1 - 2<sup>nd</sup> floor girls gang (tempered) #c
20. 1 - 2<sup>nd</sup> floor girls gang (tempered) #d
21. 1 - 2<sup>nd</sup> floor storage
22. 1 - Room 212
23. 1 - Room 213
24. 1 - Room 214
25. 1 - Room 112 #a
26. 1 - Room 112 #b
27. 1 - Kitchen #a
28. 1 - Kitchen #b
29. 1 - Kitchen #c
30. 1 - Room 109
31. 1 - Nurse's Office (tempered) #a
32. 1 - Nurse's Office (NOT tempered) #b
33. 1 - Girls gang - 1<sup>st</sup> floor #a
34. 1 - Girls gang - 1<sup>st</sup> floor #b
35. 1 - Girls gang - 1<sup>st</sup> floor #c
36. 1 - Girls gang - 1<sup>st</sup> floor #d
37. 1 - Faculty room (tempered)
38. 1 - Room 105

- 39. 1 - Boys Gang (tempered) #a
- 40. 1 - Boys Gang (tempered) #b
- 41. 1 - Boys Gang (tempered) #c
- 42. 1 - Boys Gang (tempered) #d
- 43. 1 - Room 104
- 44. 1 - Room 103
- 45. 1 - Faculty Bathroom
- 46. 1 - Custodial storage – 1<sup>st</sup> floor
- 47. 1 - Boys' locker room
- 48. 1 - Boiler room
- 49. 1 - Fountain – Main entrance
- 50. 1 - Fountain – Cafeteria

<b>Total</b>	<b>50</b>
*Previously tested	12
*Non-consumable deemed by Board	4
<b>That will be sent for testing</b>	<b>34</b>



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6I1377

Bainbridge-Guilford Central School District

Project Name: #3 Greenlawn

Howard Thompson  
18 Juliard Street  
Bainbridge, NY 13733

Project / PO Number: 27986  
Received: 09/26/2016 09:15  
Reported: 12/19/2016 15:13

Analytical Testing Parameters

Client Sample ID: GRLN #1, Rm 119, S  
Lab Sample ID: J6I1377-01  
Sample Type: Grab

Collected By: Howard Thompson  
Collection Date: 09/24/16  
Collection Time: 08:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/06/16 1751	12/08/16 0040

Analytical Testing Parameters

Client Sample ID: GRLN #2, Rm 119, F  
Lab Sample ID: J6I1377-02  
Sample Type: Grab

Collected By: Howard Thompson  
Collection Date: 09/24/16  
Collection Time: 08:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/06/16 1751	12/08/16 0040

Analytical Testing Parameters

Client Sample ID: GRLN #3, Rm 118, S  
Lab Sample ID: J6I1377-03  
Sample Type: Grab

Collected By: Howard Thompson  
Collection Date: 09/24/16  
Collection Time: 08:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Metals	Result	Limit	PQL	Units	Note	Prepared	Analyzed
Method: EPA 200.8 Rev 5.4							
Lead	<0.00100	0.0150	0.00100	mg/L		12/06/16 1751	12/08/16 0041



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611377

Analytical Testing Parameters

Client Sample ID: GRLN #4, Rm 118 F
Lab Sample ID: J611377-04
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0042

Analytical Testing Parameters

Client Sample ID: GRLN #5, Rm 117, S
Lab Sample ID: J611377-05
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0042

Analytical Testing Parameters

Client Sample ID: GRLN #6, Rm 117, F
Lab Sample ID: J611377-06
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0043



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611377

Analytical Testing Parameters

Client Sample ID: GRLN #7, Rm 116, S
Lab Sample ID: J611377-07
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00124, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0045

Analytical Testing Parameters

Client Sample ID: GRLN #8, Rm 116, F
Lab Sample ID: J611377-08
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00104, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0046

Analytical Testing Parameters

Client Sample ID: GRLN #9, Rm 115, S
Lab Sample ID: J611377-09
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00118, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0046



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6I1377

Analytical Testing Parameters

Client Sample ID: GRLN #10, Rm 115, F
Lab Sample ID: J6I1377-10
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00116, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0047.

Analytical Testing Parameters

Client Sample ID: GRLN #11, Rm 114, S
Lab Sample ID: J6I1377-11
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0048.

Analytical Testing Parameters

Client Sample ID: GRLN #12, Rm 114, F
Lab Sample ID: J6I1377-12
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0048.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6I1377

Analytical Testing Parameters

Client Sample ID: GRLN #13, Rm 120, S
Lab Sample ID: J6I1377-13
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00133, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0050

Analytical Testing Parameters

Client Sample ID: GRLN #14, Rm 120, F
Lab Sample ID: J6I1377-14
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00122, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0051

Analytical Testing Parameters

Client Sample ID: GRLN #15, Rm 121, S
Lab Sample ID: J6I1377-15
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00362, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0053





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6I1377

Analytical Testing Parameters

Client Sample ID: GRLN #16, Rm 121, F
Lab Sample ID: J6I1377-16
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00226, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0053.

Analytical Testing Parameters

Client Sample ID: GRLN #17, Rm 122, S
Lab Sample ID: J6I1377-17
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0054.

Analytical Testing Parameters

Client Sample ID: GRLN #18, Rm 122, F
Lab Sample ID: J6I1377-18
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0055.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6I1377

Analytical Testing Parameters

Client Sample ID: GRLN #19, Rm 123, S
Lab Sample ID: J6I1377-19
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0055

Analytical Testing Parameters

Client Sample ID: GRLN #20, Rm 123, F
Lab Sample ID: J6I1377-20
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0056

Analytical Testing Parameters

Client Sample ID: GRLN #21, Rm 124, S
Lab Sample ID: J6I1377-21
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0057



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611377

Analytical Testing Parameters

Client Sample ID: GRLN #22, Rm 124, F
Lab Sample ID: J611377-22
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0057

Analytical Testing Parameters

Client Sample ID: GRLN #23, Rm 125, S
Lab Sample ID: J611377-23
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00323, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0101

Analytical Testing Parameters

Client Sample ID: GRLN #24, Rm 125, F
Lab Sample ID: J611377-24
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00107, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0101



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611377

Analytical Testing Parameters

Client Sample ID: GRLN #25, Rm Staff, T Wing
Lab Sample ID: J611377-25
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0102

Analytical Testing Parameters

Client Sample ID: GRLN #28, Rm 112, S
Lab Sample ID: J611377-26
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00222, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0103

Analytical Testing Parameters

Client Sample ID: GRLN #29, Rm 111, SA
Lab Sample ID: J611377-27
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0103



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6I1377

Analytical Testing Parameters

Client Sample ID: GRLN #30, Rm 111, SB
Lab Sample ID: J6I1377-28
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0105

Analytical Testing Parameters

Client Sample ID: GRLN #31, Rm 110, SA
Lab Sample ID: J6I1377-29
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0106

Analytical Testing Parameters

Client Sample ID: GRLN #32, Rm 110, SB
Lab Sample ID: J6I1377-30
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0107



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611377

Analytical Testing Parameters

Client Sample ID: GRLN #34, Rm 109, SA
Lab Sample ID: J611377-31
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0109

Analytical Testing Parameters

Client Sample ID: GRLN #39, Rm 167, SA
Lab Sample ID: J611377-32
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2000

Analytical Testing Parameters

Client Sample ID: GRLN #42, Rm 101, SA
Lab Sample ID: J611377-33
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00142, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0111



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6I1377

Analytical Testing Parameters

Client Sample ID: GRLN #43, Rm 101, SB
Lab Sample ID: J6I1377-34
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00295, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0112

Analytical Testing Parameters

Client Sample ID: GRLN #44, RM 103, S
Lab Sample ID: J6I1377-35
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0113

Analytical Testing Parameters

Client Sample ID: GRLN #45, Rm 166, SA
Lab Sample ID: J6I1377-36
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/08/16 0113



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611377

Analytical Testing Parameters

Client Sample ID: GRLN #50, Rm 104, SB
Lab Sample ID: J611377-37
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2004.

Analytical Testing Parameters

Client Sample ID: GRLN #51, Rm 103, S
Lab Sample ID: J611377-38
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2006.

Analytical Testing Parameters

Client Sample ID: GRLN #52, M Office, B
Lab Sample ID: J611377-39
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 08:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2006.





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611377

Analytical Testing Parameters

Client Sample ID: GRLN #55, Rm 159, SC
Lab Sample ID: J611377-40
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2007.

Analytical Testing Parameters

Client Sample ID: GRLN #57, Rm 145, S
Lab Sample ID: J611377-41
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2008.

Analytical Testing Parameters

Client Sample ID: GRLN #63, Rm 150, S
Lab Sample ID: J611377-42
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2008.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611377

Analytical Testing Parameters

Client Sample ID: GRLN #65, Rm 157, S
Lab Sample ID: J611377-43
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00159, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2012

Analytical Testing Parameters

Client Sample ID: GRLN #67, Rm 151, S
Lab Sample ID: J611377-44
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2012

Analytical Testing Parameters

Client Sample ID: GRLN #68, Rm 156, S
Lab Sample ID: J611377-45
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00136, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2013



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611377

Analytical Testing Parameters

Client Sample ID: GRLN #70, Rm 152, S
Lab Sample ID: J611377-46
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2014

Analytical Testing Parameters

Client Sample ID: GRLN #72, 155, S
Lab Sample ID: J611377-47
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2014

Analytical Testing Parameters

Client Sample ID: GRLN #74, Rm 153, S
Lab Sample ID: J611377-48
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00105, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2016



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611377

Analytical Testing Parameters

Client Sample ID: GRLN #75, Rm 153, F
Lab Sample ID: J611377-49
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2018

Analytical Testing Parameters

Client Sample ID: GRLN #76, Rm 154, S
Lab Sample ID: J611377-50
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00124, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2019

Analytical Testing Parameters

Client Sample ID: GRLN #78, Rm 135, S
Lab Sample ID: J611377-51
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00113, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2021



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611377

Analytical Testing Parameters

Client Sample ID: GRLN #84, Rm 137, SC
Lab Sample ID: J611377-52
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00134, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2022

Analytical Testing Parameters

Client Sample ID: GRLN #90, GL, SB
Lab Sample ID: J611377-53
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00160, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2022

Analytical Testing Parameters

Client Sample ID: GRLN #91, Girls PE, S
Lab Sample ID: J611377-54
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2023



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611377

Analytical Testing Parameters

Client Sample ID: GRLN #96, Boys PE, F
Lab Sample ID: J611377-55
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00133, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2024

Analytical Testing Parameters

Client Sample ID: GRLN #97, Boys PE, S
Lab Sample ID: J611377-56
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2024

Analytical Testing Parameters

Client Sample ID: GRLN #98, M Staff, S
Lab Sample ID: J611377-57
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2026



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611377

Analytical Testing Parameters

Client Sample ID: GRLN #99, G Staff, S
Lab Sample ID: J611377-58
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2027.

Analytical Testing Parameters

Client Sample ID: GRLN #101, West, FB
Lab Sample ID: J611377-59
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 09:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2028.

Analytical Testing Parameters

Client Sample ID: GRLN #37, Rm 168, SB
Lab Sample ID: J611377-60
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 10:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00647, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2028.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6I1377

Analytical Testing Parameters

Client Sample ID: GRLN #40, Rm 167, SB
Lab Sample ID: J6I1377-61
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 10:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00859, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2030.

Analytical Testing Parameters

Client Sample ID: GRLN #46, Rm 166, SB
Lab Sample ID: J6I1377-62
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 10:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.0101, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2031.

Analytical Testing Parameters

Client Sample ID: GRLN #58, Boys Gang 5A
Lab Sample ID: J6I1377-63
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 10:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2032.





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6I1377

Analytical Testing Parameters

Client Sample ID: GRLN #59, Boys Gang SB
Lab Sample ID: J6I1377-64
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 10:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2032

Analytical Testing Parameters

Client Sample ID: GRLN #60, Girls Gang, SA
Lab Sample ID: J6I1377-65
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 10:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00116, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2034

Analytical Testing Parameters

Client Sample ID: GRLN #61, Girls G, SB
Lab Sample ID: J6I1377-66
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 10:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00131, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2035



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611377

Analytical Testing Parameters

Client Sample ID: GRLN #79, Kitchen, B1
Lab Sample ID: J611377-67
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 10:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00242, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2036

Analytical Testing Parameters

Client Sample ID: GRLN #87, GPE, SA
Lab Sample ID: J611377-68
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 10:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00117, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2036

Analytical Testing Parameters

Client Sample ID: GRLN #88, GPE, SB
Lab Sample ID: J611377-69
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 10:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00109, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2038



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611377

Analytical Testing Parameters

Client Sample ID: GRLN #93, BPW, SA
Lab Sample ID: J611377-70
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 10:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row for Lead: 0.00402, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2039

Analytical Testing Parameters

Client Sample ID: GRLN #94, BPE, SB
Lab Sample ID: J611377-71
Sample Type: Grab

Collected By: Howard Thompson
Collection Date: 09/24/16
Collection Time: 10:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row for Lead: 0.00436, 0.0150, 0.00100, mg/L, 12/06/16 1751, 12/12/16 2040

Laboratory

NY: Microbac Laboratories, Inc., New York Division

Definitions

AL: Action Level
RL: Reporting Limit
G: Result fails applicable NYS drinking water standards

Cooler Receipt Log

Cooler ID: Default Cooler Temp: 23.3°C

Cooler Inspection Checklist

Checklist table with 4 columns: Item, Yes, Item, Yes. Items include Custody Seals Intact, COC/Labels Agree, Received on Ice.

Project Requested Certification(s)

Microbac Laboratories, Inc., New York Division NY Lab ID No.: 10795 New York State Department of Health
Microbac Laboratories, Inc. - Chicagoland NY Lab ID No: 12006 Pennsylvania Department of Environmental Protection
PA DEP ID: 68-04863



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J611377

**Report Comments**

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.

**Reviewed and Approved By:**

A handwritten signature in blue ink that reads "Michael Fifield".

Michael Fifield  
Division Manager  
12/19/2016 15:13

**Go Green:** Contact Michael Fifield to set up email reporting and invoicing options.

*The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. For any feedback concerning our services, please contact Michael Fifield, Project Manager at [michael.fifield@microbac.com](mailto:michael.fifield@microbac.com). You may also contact Michael Fifield, Managing Director at [michael.fifield@microbac.com](mailto:michael.fifield@microbac.com) or Robert Crookston, President at [robert.crookston@microbac.com](mailto:robert.crookston@microbac.com).*

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice  
MNY Workorder #

3821 Buck Drive  
Cortland NY 13045  
Phone:(607)753-3403 Fax:(607)753-3415  
NY #10795, EPA #NY00935

Client Information		Billing/Invoice:	
Name: <u>Bainbridge - Guilford</u>			
Address: <u>18 Juliard St.</u>			
<u>Bainbridge, NY 13733</u>			
Contact: <u>HOWARD THOMPSON</u>			
Phone: <u>607 967 6322</u>			
Project: <u>#3 Greenlawn</u>			
Quote ID: <u>NY-146</u>		PO#: <u>27986</u>	
Rush TAT Bus. Days: < 2-5 5-7 7-10		Date Req.:	
Carbon Copy: <u>Yes</u>			
Email Results: <u>Yes</u>		<u>bthompson@bgcsd.org</u>	
Fax Results: <u>Yes</u>			
Sample Information			
Description/Location	Date	Time	Initial
1 GRLN #1, Rm 119, S	9/24/16	8:00 AM	HT
2 GRLN #2, Rm 119, F			HT
3 GRLN #3, Rm 118, S			HT
4 GRLN #4, Rm 118, F			HT
5 GRLN #5, Rm 117, S			HT
6 GRLN #6, Rm 117, F			HT
7 GRLN #7, Rm 116, S			HT
8 GRLN #8, Rm 116, F			HT
Print Name and Company		Signature	
<u>Howard Thompson</u> Microbac Cortland		<u>Howard Thompson</u>	
Received: <u>Jeffrey P. Husel</u>		Date/Time: <u>9/26/16 9:15</u>	
Received:			
Received:			
Received:			
Comments			
Internal COC Required			
Receiving Info (Lab Use Only)			
Ice:	YES	NO	
Cooler:	YES	NO	
Sample Temp:	<u>23.3</u>		
Cooler Seal:	YES	NO	
Pickup:	YES	NO	
Dropoff:	C	W	
Accepted?	YES	NO	
Container Material	Lead and Copper		
Container Size(in MI)	Plastic		
Preservative	250mL		
Number of Containers for Analysis Requested			
1			
1			
1			
1			
1			
1			
1			
1			



J611377

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice

MNY Workorder #

3821 Buck Drive  
Cortland NY 13045  
Phone:(607)753-3403 Fax:(607)753-3415  
NY #10795, EPA #NY00835

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name: <u>Bainbridge - Guilford</u>		PO#: <u>27986</u>		Ice: YES NO		Cooler Seal: YES NO	
Address: <u>18 Juliana St.</u>		Date Req: _____		Cooler: YES NO		Sample Temp: _____	
Contact: <u>HOVARD THOMPSON</u>		Carbon Copy: <u>Yes</u>		Sample Temp: _____		Cooler Seal: YES NO	
Phone: <u>607 967 6322</u>		Rush TAT Bus. Days: <2 2-5 5-7 7-10		Container Material		Pickup: YES NO	
Project: <u>#3 Greenlawn</u>		Date Req: _____		Container Size (in MI)		Dropoff: C W	
Quote ID: <u>NY-146</u>		Email Results: <u>Yes</u>		Preservative		Accepted? YES NO	
Fax Results: <u>Yes</u>		Matrix		Comments/Field Data			
Email Results: <u>Yes</u>		Type					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>		DW					
Fax Results: <u>Yes</u>		Grab					
Email Results: <u>Yes</u>							

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice  
MNY Workorder #

3621 Buck Drive  
Cortland NY 13045  
Phone:(607)53-3403 Fax:(607)53-3415  
NY #10785, EPA #NY00935

Client Information		Billing/Invoice:	
Name: Bainbridge-Guilford		Address: 18 Dulaney St.	
Address: Bainbridge, NY 13733		Contact: HOWARD THOMPSON	
Phone: 607 967 6322		Project: 3 Greenlawn	
Quote ID: NY-146		PO#: 27986	
Rush TAT Bus. Days: < 2-5 5-7 7-10		Date Req: _____	
Carbon Copy: Yes		Email Results: <input checked="" type="checkbox"/> Yes	
Fax Results: Yes		bthompson@bgcsd.org	
Sample Information			
Description/Location	Date	Time	Initial
1 GRWN # 17, Rm 122, S	9/24/16	8:15 AM	NT
2 GRWN # 18, Rm 122, F	↓	↓	NT
3 GRWN # 19, Rm 123, S			NT
4 GRWN # 20, Rm 123, F			NT
5 GRWN # 21, Rm 124, S			NT
6 GRWN # 22, Rm 124, F			NT
7 GRWN # 23, Rm 125, S			NT
8 GRWN # 24, Rm 125, F			NT
Print Name and Company			Signature
Microbac Cortland		Cortland	
Date/Time		9/26/16 9:15	
Comments		Internal COC Required	

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice  
MNY Workorder #

3821 Buck Drive  
Cortland NY 13045  
Phone: (607) 753-3403 Fax: (607) 753-3415  
NY #10795, EPA #NY00935

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name: <u>Bainbridge-Golford</u>		PO#: <u>27986</u>		Ice: YES NO		Cooler: YES NO	
Address: <u>18 Juliard St.</u>		Date Req: _____		Sample Temp: _____		Cooler Seal: YES NO	
Contact: <u>HOWARD THOMPSON</u>		Carbon Copy: <u>Yes</u>		Pickup: YES NO		Dropoff: C W	
Phone: <u>607 967 6322</u>		Email Results: <u>Yes</u>		Accepted? YES NO		Container Material	
Project: <u>#3 Greenlawn</u>		Fax Results: <u>Yes</u>		Container Size (in ML)		Preservative	
Quote ID: <u>NY-146</u>		Matrix		Number of Containers for Analysis Requested		Comments/Field Data	
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type		Internal COC Required			
Composite		Initial					
PO#: <u>27986</u>		Time					
Date Req: _____		Date					
Carbon Copy: <u>Yes</u>		Sample Information					
Email Results: <u>Yes</u>		Description/Location					
Fax Results: <u>Yes</u>		Date					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Time					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					
Carbon Copy: <u>Yes</u>		Time					
Email Results: <u>Yes</u>		Initial					
Fax Results: <u>Yes</u>		Matrix					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Type					
Carbon Copy: <u>Yes</u>		Initial					
Email Results: <u>Yes</u>		Matrix					
Fax Results: <u>Yes</u>		Type					
Rush TAT Bus. Days: <2 2-5 5-7 7-10		Date					





# Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice  
MNY Workorder #

3821 Buck Drive  
Cortland NY 13045  
Phone: (607) 753-3403 Fax: (607) 753-3415  
NY #10795, EPA #NY00935

Client Information		Billing/Invoice:	
Name: <u>Bainbridge - Guilford</u>			
Address: <u>18 Duland St.</u>			
Contact: <u>Bainbridge, NY 13733</u>			
Phone: <u>607 967 6322</u>		Composite	
Project: <u>#3 Greenlawn</u>		PO#: <u>27986</u>	
Quote ID: <u>NY-146</u>		Date Req.:	
Rush TAT Bus. Days: <2 2-5 5-7 7-10			
Carbon Copy: <u>Yes</u>			
Email Results: <u>Yes</u> <u>hthompson@bgsch.org</u>			
Fax Results: <u>Yes</u>			

  

Sample Information			Matrix	
Description/Location	Date	Time	Initial	Type
1 GRW # 55, Rm 159, S	9/24/16	9:00 AM	HT	DW Grab
2 GRW # 57, Rm 145, S		9:00 AM	HT	DW Grab
3 GRW # 63, Rm 150, S		9:00 AM	HT	DW Grab
4 GRW # 65, Rm 157, S		9:00 AM	HT	DW Grab
5 GRW # 67, Rm 151, S		9:00 AM	HT	DW Grab
6 GRW # 68, Rm 156, S		9:00 AM	HT	DW Grab
7 GRW # 70, Rm 152, S		9:00 AM	HT	DW Grab
8 GRW # 72, 155, S		9:00 AM	HT	DW Grab

  

Analysis Requested		Receiving Info (Lab Use Only)	
Number of Containers for Analysis Requested	Comments/Field Data	Ice:	YES NO
1	Internal COC Required	Cooler:	YES NO
1		Sample Temp:	YES NO
1		Cooler Seal:	YES NO
1		Pickup:	YES NO
1		Dropoff:	C W
1		Accepted?	YES NO

  

Signature		Date/Time	Comments
Print Name and Company	Signature		
Microbac Cortland	<i>Cathy F. Hart</i>	9/20/15 9:15	
Received:			
Received:			
Received:			

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory.  
By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice  
MNY Workorder #

3821 Buck Drive  
Cortland NY 13045  
Phone:(607)753-3403 Fax:(607)753-3415  
NY #10795, EPA #NY00935

Client Information		Billing/Invoice:	
Name: <u>Bainbridge - Guilford</u>			
Address: <u>18 Juliana St.</u>			
Contact: <u>Bainbridge, NY 13733</u>			
Phone: <u>607 967 6322</u>		Composite	
Project: <u>#3 Greenlawn</u>		PO#: <u>27986</u>	
Quote ID: <u>NY-146</u>		Date Req.:	
Rush TAT Bus. Days: <2 2-5 5-7 7-10			
Carbon Copy: <u>Yes</u>			
Email Results: <u>Yes</u> <u>bthompson@bgschl.org</u>			
Fax Results: <u>Yes</u>			
Sample Information			Matrix
Description/Location	Date	Time	Type
1 <u>GRLN # 74, Rm 153, S</u>	<u>9/29/16</u>	<u>9:00 AM</u>	DW Grab
2 <u>GRLN # 75, Rm 153, F</u>		<u>9:00 AM</u>	DW Grab
3 <u>GRLN # 76, Rm 154, S</u>		<u>9:30 AM</u>	DW Grab
4 <u>GRLN # 78, Rm 135, S</u>		<u>9:30 AM</u>	DW Grab
5 <u>GRLN # 84, Rm 137, SC</u>		<u>9:30 AM</u>	DW Grab
6 <u>GRLN # 90 GL, F 6</u>		<u>9:30 AM</u>	DW Grab
7 <u>GRLN # 91, Girls PECS</u>		<u>9:30 AM</u>	DW Grab
8 <u>GRLN # 96, Boys PE, F</u>		<u>9:35 AM</u>	DW Grab
Analysis Requested			Number of Containers for Analysis Requested
Lead and Copper			1
Plastic			1
250mL			1
HNO3			1
Comments/Field Data			Internal COC Required
Container Material			
Container Size (in MI)			
Preservative			
Accepted?			YES NO
Cooler Seal:			YES NO
Sample Temp:			YES NO
Cooler:			YES NO
Ice:			YES NO
Dropoff:			C W
Pickup:			YES NO
Date/Time			Signature
Comments			
Print Name and Company			
Microbac Cortland			
Received:			<u>Cody P New</u>
Received:			<u>9/29/16 9:15</u>
Received:			
Received:			

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice  
MNY Workorder #

3821 Buck Drive  
Cortland NY 13045  
Phone:(607)753-3403 Fax:(607)753-3415  
NY #10795, EPA #NY00935

<b>Client Information</b> Name: <u>Bainbridge-Guilford</u> Address: <u>18 Dulaney St.</u> <u>Bainbridge, NY 13733</u> Contact: <u>Howard Thompson</u> Phone: <u>607 967 6322</u> Project # <u>3 Green/awn</u> Quote ID: <u>NY-146</u> Rush TAT Bus. Days: <2 2-5 5-7 7-10 Carbon Copy: <input checked="" type="checkbox"/> Yes Email Results: <input checked="" type="checkbox"/> Yes Fax Results: <input checked="" type="checkbox"/> Yes		<b>Billing/Invoice:</b> Composite PO#: <u>27986</u> Date Req: _____		<b>Receiving Info (Lab Use Only)</b> Ice: YES NO Cooler: YES NO Sample Temp: _____ Cooler Seal: YES NO Pickup: YES NO Dropoff: C W Accepted? YES NO Container Material: _____ Container Size(in MI): _____ Preservative: _____			
<b>Sample Information</b>		<b>Analysis Requested</b>					
Description/Location	Date	Time	Initial	Number of Containers for Analysis Requested	Matrix	Type	Comments/Field Data
1 GRLN #97, Boys P.E.S.	9/24/16	9:30 AM	TNT	1	DW	Grab	Internal COC Required
2 GRLN #98, M STAFF, S	9/24/16	9:30 AM	TNT	1	DW	Grab	
3 GRLN #99, G STAFF, S	9/24/16	9:30 AM	TNT	1	DW	Grab	
4 GRLN #101, West, FB	9/24/16	9:30 AM	TNT	1	DW	Grab	
5				1	DW	Grab	
6				1	DW	Grab	
7				1	DW	Grab	
8				1	DW	Grab	
<b>Print Name and Company</b> Microbac Cortland		<b>Signature</b> <u>Cedric P. Hunt</u>		<b>Date/Time</b> 9/26/16 9:15		<b>Comments</b>	
<b>Sampled:</b>		<b>Received:</b>		<b>Received:</b>		<b>Received:</b>	

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

samples must be returned on ice  
MNY Workorder #

3021 DUCK LAKE  
Cortland NY 13045  
Phone: (607)753-3403 Fax: (607)753-3415  
NY #10795, EPA #NY00935

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name: <u>Bambridge - Guilford</u>		Composite		Ice: YES NO		Cooler: YES NO	
Address: <u>18 Juliana St.</u>		PO#: <u>27986</u>		Sample Temp:		Cooler Seal: YES NO	
Contact: <u>HAROLD THOMPSON</u>		Date Req.:		Pickup: YES NO		Dropoff: C W	
Phone: <u>607 967 6322</u>		Carbon Copy: Yes		Accepted? YES NO		Container Material	
Project # <u>3 Greenlawn</u>		Rush TAT Bus. Days: <2 2-5 5-7 7-10		Container Size (in MI)		Preservative	
Quote ID: <u>NY-146</u>		Email Results: <input checked="" type="checkbox"/> Yes		Number of Containers for Analysis Requested		Comments/Field Data	
Fax Results: <input checked="" type="checkbox"/> Yes		Matrix		Internal COC Required			
Sample Information		Matrix					
Description/Location	Date	Time	Initial	Type			
1. <u>GRLN #37, Rm 168, 5b</u>	<u>9/24/16</u>	<u>10:00 AM</u>	<u>NT</u>	DW	1		
2. <u>GRLN #40, Rm 167, 5b</u>		<u>10:00 AM</u>	<u>NT</u>	Grab	1		
3. <u>GRLN #46, Rm 166, 5b</u>		<u>10:00 AM</u>	<u>NT</u>	DW	1		
4. <u>GRLN #Boys Gym, 5a</u>		<u>10:00 AM</u>	<u>NT</u>	Grab	1		
5. <u>GRLN #59, " , 5b</u>		<u>10:00 AM</u>	<u>NT</u>	DW	1		
6. <u>GRLN #60 Girls Gym, 5a</u>		<u>10:00 AM</u>	<u>NT</u>	Grab	1		
7. <u>GRLN #61, Girls G, 5b</u>		<u>10:00 AM</u>	<u>NT</u>	DW	1		
8. <u>GRLN #78 Kitchen, B1</u>		<u>10:00 AM</u>	<u>NT</u>	Grab	1		

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this action.



Purchasing Agent  
*James K. Stewart*

INSTRUCTIONS TO VENDOR  
 1. Please ship prepaid. Do not make collect shipments  
 2. Purchase order must appear on all packages, delivery slips and invoices  
 3. Itemized packing slip must accompany each shipment  
 4. Charge and mail invoice to above address. Attn: Business Office  
 5. It is required the Material Safety Data Sheets which may exist for any item listed be sent with the order

Order Quantity	Item Description	Unit Cost	Discount	Shipping	Extended Cost
37.00 EA	PROJECT #1 GUILFORD WATER LEAD TESTS	15.0000			555.00
3.00 EA	PROJECT #2 BUS GARAGE WATER LEAD TESTS	15.0000			45.00
80.00 EA	PROJECT #3 GREENLAWN WATER LEAD TESTS	15.0000			1,200.00
126.00 EA	PROJECT #4 HIGH SCHOOL WATER LEAD TESTS	15.0000			1,890.00
5.00 EA	PROJECT #5 CONCESSION BLDG WATER LEAD TESTS	15.0000			75.00
2.00 EA	PROJECT #6 TEAM BUILDING WATER LEAD TESTS	15.0000			30.00
PER QUOTE #NY-146					
<b>Total:</b>					<b>3,795.00</b>

Unit price increases greater than 10% need approval.  
 This is a governmental purchase order which may be accepted in lieu of exemption certificate for sales tax purposes. FEDERAL TAX I.D.# 6002125

**SHIP TO:**  
 Greenlawn Elementary School  
 43 Greenlawn Avenue  
 Bainbridge, NY 13733  
 Attn: HOWARD THOMPSON

**ORDER TO:**  
 MICROBAC  
 3821 BUCK DRIVE  
 CORTLAND, NY 13045

**Bainbridge-Guilford CSD**  
 18 Julliard St.  
 Bainbridge, NY 13733  
 607-967-6341 607-967-4231 (Fax)  
**DATE:** 9/20/2016  
**VENDOR #:** 8694  
**REQUISITION #:**  
**VENDOR PHONE:**

**PURCHASE ORDER**

# Bainbridges - Guilford CSD

## Greenlawn Sinks & Water Fountains, 9/24/2016

1. Room 119 Sink
2. Room 119 Fountain turn handle
3. Room 118 Sink
4. Room 118 Fountain turn handle
5. Room 117 Sink
6. Room 117 Fountain turn handle
7. Room 116 Sink
8. Room 116 Fountain turn handle
9. Room 115 Sink
10. Room 115 Fountain Push
11. Room 114 Sink
12. Room 114 Fountain turn handle
13. Room 120 Sink
14. Room 120 Fountain turn handle
15. Room 121 Sink
16. Room 121 Fountain turn handle
17. Room 122 Sink
18. Room 122 Fountain turn handle
19. Room 123 Sink
20. Room 123 Fountain turn handle
21. Room 124 Sink
22. Room 124 Fountain push handle
23. Room 125 Sink
24. Room 125 Fountain turn handle
25. Staff bathroom by T-wing - 1 sink
26. Hallway by T-wing - #A - 1 drinking fountain - push
27. Custodial slop sink - 1
28. Room 112 1 sink
29. Room 1111 sink - #a
30. Room 111 1 sink - #b
31. Room 1101 sink - #a
32. Room 110 1 sink - #b
33. Delete, duplicate
34. Room 109 1 sink - #a
35. Room 109 1 sink - #b
36. Room 168 1 sink - #a
37. Room 168 1 sink - #b - tempered
38. Room 168 Push fountain with handles, bathroom automatic
39. Room 167 1 sink - 1 handle - #a



40. Room 167 1 sink – 1 handle - #b tempered
41. Room 167 Push fountain
42. Room 101 (Library) 1 sink – 1 handle - #a
43. Room 1011 sink – 1 handle - #b
44. Room 1031 sink bathroom
45. Room 1661 sink - #a
46. Room 166 1 sink - #b tempered
47. Room 166 Fountain handle push, bathroom automatic
48. Custodial slop 1 sink
49. Room 1041 dish sink
50. Room 1041 bathroom
51. Room 1031 sink
52. Main Office 1 bathroom sink
53. Room 1591 sink – Nurses' Office - #a
54. Room 159 1 sink - #b
55. Room 159 1 sink - #c
56. Room 1441 sink (Boiler Room)
57. Room 145 1 sink
58. Boys bathroom - 1 sink with handle #a (In 5<sup>th</sup> & 6<sup>th</sup> grade wing) Tempered
59. Boys bathroom - 1 sink with handle #b (in 5<sup>th</sup> & 6<sup>th</sup> grade wing) Tempered
60. Girls bathroom – 1 sink with handle #a (In 5<sup>th</sup> & 6<sup>th</sup> grade wing) Tempered
61. Girls bathroom – 1 sink with handle #b (In 5<sup>th</sup> & 6<sup>th</sup> grade wing) Tempered
62. Another Custodial slop sink – 1
63. Room 150 1 sink
64. Room 150 Fountain - push
65. Room 1571 sink
66. Room 1571 Fountain - push
67. Room 151 1 sink (Does not have a drinking fountain)
68. Room 156 1 sink
69. Room 1561 Fountain - push
70. Room 152 1 sink
71. Room 152 1 Fountain - push
72. Room 1551 sink
73. Room 155 1 Fountain - push
74. Room 153 1 sink
75. Room 1531 Fountain - push
76. Room 1541 sink
77. Room 154 1 Fountain - push
78. Room 135 1 sink (Does not have a drinking fountain)
79. Room 137 & 142 Kitchen 1 Bathroom sink - tempered
80. Room 137 & 142 Custodial slop sink-1
81. Room 137 & 142 1 bay sink - #a

- 82. Room 137 & 142 1 bay sink - #b
- 83. 1 Drinking fountain near gang bathroom
- 84. Room 137 & 142 1 bay sink - #c
- 85. Room 134 sprayer sink
- 86. Room 134 dishwasher
- 87. Girls PE Locker Room by Gym 1 sink - #a - tempered
- 88. Girls PE Locker Room by Gym 1 sink - #b - tempered
- 89. Girls Locker Room by Gym 1 fountain – push - #a
- 90. Girls Locker Room by Gym 1 fountain – push - #b
- 91. Girls PE office 1 sink
- 92. Push Drinking fountain by the kitchen – 1
- 93. Boys PE Locker Room by Gym - 1 sink - #a - tempered
- 94. Boys PE Locker Room by Gym - 1 sink - #b - tempered
- 95. Boys PE Locker Room by Gym - 1 – fountain - push - #a
- 96. Boys PE Locker Room by Gym - 1 – fountain – push - #b
- 97. Boys PE office 1 sink
- 98. Adult Boys Bathroom (by gym) 1 sink
- 99. Adult Girls Bathroom (by Gym) 1 sink
- 100. Wrestling area 1 fountain – push - #a
- 101. Wrestling area 1 fountain – push - #b
- 102. Washing Machine area 1 sink
- 103. Woodshop 1 sink
- 104. Drinking fountain outside truck bay

<b>Total</b>	<b>104</b>
*Previously tested	-24
*Non-consumable deemed by the Board	-8
*Minus #33 duplicate listed	-1
<b>Total that will sent to be tested</b>	<b>71</b>



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Bainbridge-Guilford Central School District

Project Name: #4 High School

Howard Thompson
18 Juliard Street
Bainbridge, NY 13733

Project / PO Number: 27986
Received: 10/07/2016 11:47
Reported: 12/15/2016 08:43

Case Narrative

The Matrix Spike Duplicate performed on the following sample failed the precision criteria for Lead. The accuracy criteria were met by both the Matrix Spike and Matrix Spike Duplicate. This data is indicative of a bias related to sample matrix.

Laboratory ID Sample Name
16K1213-AA J6J1379-AA (HS #136 Tech Building Wood Shop)

Analytical Testing Parameters

Client Sample ID: #1 HS Boys Gang 2nd 321
Lab Sample ID: J6J1379-01
Sample Type: Grab
Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 05:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1326

Analytical Testing Parameters

Client Sample ID: #2 HS Boys Gang 2nd 321
Lab Sample ID: J6J1379-02
Sample Type: Grab
Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 05:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1327



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #4 HS Room 204
Lab Sample ID: J6J1379-03
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 05:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00273, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1327

Analytical Testing Parameters

Client Sample ID: #5 HS Girls Gang 2nd 32-10
Lab Sample ID: J6J1379-04
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 05:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1329

Analytical Testing Parameters

Client Sample ID: #6 HS Girls Gang 2nd 32-11
Lab Sample ID: J6J1379-05
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 05:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1330



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #8 HS Tech Office 2nd A
Lab Sample ID: J6J1379-06
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 05:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1332

Analytical Testing Parameters

Client Sample ID: #9 HS Tech Office 2nd B
Lab Sample ID: J6J1379-07
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 05:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1333

Analytical Testing Parameters

Client Sample ID: #10 HS Staff 2nd Tech
Lab Sample ID: J6J1379-08
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1333



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #11 HS Staff 2nd Tech
Lab Sample ID: J6J1379-09
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00135, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1335

Analytical Testing Parameters

Client Sample ID: #16 HS 218 52 Wing #A
Lab Sample ID: J6J1379-10
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00127, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1336

Analytical Testing Parameters

Client Sample ID: #17 HS 218 52 Wing #B
Lab Sample ID: J6J1379-11
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1337



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #18 HS 218 52 Sink #C
Lab Sample ID: J6J1379-12
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00295, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1337

Analytical Testing Parameters

Client Sample ID: #19 HS 218 52 Wing #D
Lab Sample ID: J6J1379-13
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1338

Analytical Testing Parameters

Client Sample ID: #22 HS 221 52 Wing
Lab Sample ID: J6J1379-14
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1341



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #23 Boys Gang 2nd 52 #A
Lab Sample ID: J6J1379-15
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00209, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1342

Analytical Testing Parameters

Client Sample ID: #24 HS Boys Gang 2nd 52 #B
Lab Sample ID: J6J1379-16
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1343

Analytical Testing Parameters

Client Sample ID: #25 HS Boys Gang 2nd 52 #C
Lab Sample ID: J6J1379-17
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00217, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1343





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #26 HS Boys Gang 2nd 52 #D
Lab Sample ID: J6J1379-18
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00193, 0.0150, 0.00100, mg/L, 12/01/16 1718, 12/05/16 1344

Analytical Testing Parameters

Client Sample ID: #27 HS Girls Gang 2nd 52 #A
Lab Sample ID: J6J1379-19
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00127, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1348

Analytical Testing Parameters

Client Sample ID: #28 HS Girls Gang 2nd 52 #B
Lab Sample ID: J6J1379-20
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00237, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1349



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #29 HS Girls Gang 2nd 52 #C
Lab Sample ID: J6J1379-21
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00300, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1351

Analytical Testing Parameters

Client Sample ID: #30 HS Girls Gang 2nd 52 #D
Lab Sample ID: J6J1379-22
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00188, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1351

Analytical Testing Parameters

Client Sample ID: #32 HS 226 96 Science Wing #A
Lab Sample ID: J6J1379-23
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00132, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1352



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #33 HS26 96 Wing #6 Science
Lab Sample ID: J6J1379-24
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00292, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1353

Analytical Testing Parameters

Client Sample ID: #34 HS 226 96 Wing #A Science
Lab Sample ID: J6J1379-25
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00162, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1353

Analytical Testing Parameters

Client Sample ID: #35 HS 226 96 Wing #D Science
Lab Sample ID: J6J1379-26
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00156, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1354



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #36 HS 226 96 Wing #E Science
Lab Sample ID: J6J1379-27
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00146, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1356

Analytical Testing Parameters

Client Sample ID: #37 HS 226 96 Wing #F Science
Lab Sample ID: J6J1379-28
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00145, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1357

Analytical Testing Parameters

Client Sample ID: #38 HS Chem Storage Science
Lab Sample ID: J6J1379-29
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00130, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1357



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #39 HS 228 96 Wing #A Lab
Lab Sample ID: J6J1379-30
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00178, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1358

Analytical Testing Parameters

Client Sample ID: #40 HS 228 96 Wing #B Lab
Lab Sample ID: J6J1379-31
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00241, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1400

Analytical Testing Parameters

Client Sample ID: #41 HS 228 96 Wing #C Lab
Lab Sample ID: J6J1379-32
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00298, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1401



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #42 HS 228 96 Wing #D Lab
Lab Sample ID: J6J1379-33
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00104, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1401.

Analytical Testing Parameters

Client Sample ID: #43 HS 228 96 Wing #E Lab
Lab Sample ID: J6J1379-34
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00127, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1402.

Analytical Testing Parameters

Client Sample ID: #44 HS 228 96 Wing #F Lab
Lab Sample ID: J6J1379-35
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00133, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1404.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #45 HS 228 96 Wing #G Lab
Lab Sample ID: J6J1379-36
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00761, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1405

Analytical Testing Parameters

Client Sample ID: #46 HS 228 96 Wing #H Lab
Lab Sample ID: J6J1379-37
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00125, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1405

Analytical Testing Parameters

Client Sample ID: #47 HS 228 96 Wing #I Lab
Lab Sample ID: J6J1379-38
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1406



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #48 HS 229 #A
Lab Sample ID: J6J1379-39
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00230, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1407

Analytical Testing Parameters

Client Sample ID: #49 HS 229 #B
Lab Sample ID: J6J1379-40
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00202, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1407

Analytical Testing Parameters

Client Sample ID: #50 HS 229 #C
Lab Sample ID: J6J1379-41
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00306, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1409





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #51 HS 229 #D
Lab Sample ID: J6J1379-42
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00205, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1410.

Analytical Testing Parameters

Client Sample ID: #52 HHS 229 #E
Lab Sample ID: J6J1379-43
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00144, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1412.

Analytical Testing Parameters

Client Sample ID: #53 HS 229 #F
Lab Sample ID: J6J1379-44
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00231, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1413.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #54 HS 229 #G
Lab Sample ID: J6J1379-45
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00173, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1413.

Analytical Testing Parameters

Client Sample ID: #55 HS 229 #H
Lab Sample ID: J6J1379-46
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00222, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1415.

Analytical Testing Parameters

Client Sample ID: #56 HS 229 #I
Lab Sample ID: J6J1379-47
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00157, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1416.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #57 HS 229 #J
Lab Sample ID: J6J1379-48
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00198, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1416

Analytical Testing Parameters

Client Sample ID: #58 HS 229 #K
Lab Sample ID: J6J1379-49
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00189, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1417

Analytical Testing Parameters

Client Sample ID: #59 HS 229 #L
Lab Sample ID: J6J1379-50
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00156, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1418



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #60 HS 229 #M
Lab Sample ID: J6J1379-51
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00242, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1421

Analytical Testing Parameters

Client Sample ID: #61 HS 229 #N Storage
Lab Sample ID: J6J1379-52
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00329, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1422

Analytical Testing Parameters

Client Sample ID: #63 HS 230 96 #A Science
Lab Sample ID: J6J1379-53
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00336, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1422



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #64 HS 230 96 #B Science
Lab Sample ID: J6J1379-54
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00243, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1423

Analytical Testing Parameters

Client Sample ID: #65 HS 230 96 #C Science
Lab Sample ID: J6J1379-55
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00164, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1424

Analytical Testing Parameters

Client Sample ID: #66 HS 114 #A
Lab Sample ID: J6J1379-56
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00109, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1424



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #67 HS Room 114 #B
Lab Sample ID: J6J1379-57
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00108, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1425

Analytical Testing Parameters

Client Sample ID: #68 HS Room 114 #C
Lab Sample ID: J6J1379-58
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00163, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1426

Analytical Testing Parameters

Client Sample ID: #69 HS Room 113 #A
Lab Sample ID: J6J1379-59
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00135, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1428



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #70 HS Room 113 #B
Lab Sample ID: J6J1379-60
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00171, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1428

Analytical Testing Parameters

Client Sample ID: #71 HS Room 113 #C
Lab Sample ID: J6J1379-61
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00148, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1430

Analytical Testing Parameters

Client Sample ID: #72 HS Room 113 #D
Lab Sample ID: J6J1379-62
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00212, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1431



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: #74 HS Dark Room #A
Lab Sample ID: J6J1379-63
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1432

Analytical Testing Parameters

Client Sample ID: HS #75 Dark Room #B
Lab Sample ID: J6J1379-64
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.0100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1432

Analytical Testing Parameters

Client Sample ID: HS #76 Room 116
Lab Sample ID: J6J1379-65
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1433





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: HS #78 Boys Gang #A
Lab Sample ID: J6J1379-66
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00426, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1434

Analytical Testing Parameters

Client Sample ID: HS #79 Boys Gang #B
Lab Sample ID: J6J1379-67
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00637, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1436

Analytical Testing Parameters

Client Sample ID: HS #80 Boys Gang #C
Lab Sample ID: J6J1379-68
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.00336, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1436



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: HS #81 Boys Gang #D
Lab Sample ID: J6J1379-69
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00236, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1437.

Analytical Testing Parameters

Client Sample ID: HS #82 Girls Gang #A
Lab Sample ID: J6J1379-70
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00355, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1438.

Analytical Testing Parameters

Client Sample ID: HS #83 Girls Gang #B
Lab Sample ID: J6J1379-71
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00334, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1440.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: HS #84 Girls Gang #C
Lab Sample ID: J6J1379-72
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00341, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1440.

Analytical Testing Parameters

Client Sample ID: HS #85 Girls Locker #A
Lab Sample ID: J6J1379-73
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1441.

Analytical Testing Parameters

Client Sample ID: HS #86 Girls Locker #B
Lab Sample ID: J6J1379-74
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1442.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: HS #87 Girls Locker #C
Lab Sample ID: J6J1379-75
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1444

Analytical Testing Parameters

Client Sample ID: HS #88 Girls PE Office
Lab Sample ID: J6J1379-76
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1444

Analytical Testing Parameters

Client Sample ID: HS #96 Room 106 B
Lab Sample ID: J6J1379-77
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1445



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: HS #97 Boy PE Office
Lab Sample ID: J6J1379-78
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00114, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1446

Analytical Testing Parameters

Client Sample ID: HS #98 Boys Locker A
Lab Sample ID: J6J1379-79
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1446

Analytical Testing Parameters

Client Sample ID: HS 99 Boys Locker B
Lab Sample ID: J6J1379-80
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1447



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: Hs #109 Boy Gang Last 3
Lab Sample ID: J6J1379-81
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1449

Analytical Testing Parameters

Client Sample ID: HS #110 Boy Gang Last B
Lab Sample ID: J6J1379-82
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1450

Analytical Testing Parameters

Client Sample ID: HS #102 Ladies Staff 1st
Lab Sample ID: J6J1379-83
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1452



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: HS #103 MEns Staff 1st
Lab Sample ID: J6J1379-84
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1452

Analytical Testing Parameters

Client Sample ID: HS #105 Girls Gang 1st
Lab Sample ID: J6J1379-85
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1453

Analytical Testing Parameters

Client Sample ID: HS #106 Girls Gang #B
Lab Sample ID: J6J1379-86
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1454



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: HS #108 Nurse
Lab Sample ID: J6J1379-87
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1454

Analytical Testing Parameters

Client Sample ID: HS #111 Room 103 Library
Lab Sample ID: J6J1379-88
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1455

Analytical Testing Parameters

Client Sample ID: HS #118 Girls Gang by Kitchen #A
Lab Sample ID: J6J1379-89
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1456





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: HS #119 Girls Gang by Kitchen #B
Lab Sample ID: J6J1379-90
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1456

Analytical Testing Parameters

Client Sample ID: HS #120 Girls Gang by Kitchen #C
Lab Sample ID: J6J1379-91
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1500

Analytical Testing Parameters

Client Sample ID: HS #121 Boys Gang by Kitchen #A
Lab Sample ID: J6J1379-92
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1500



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: HS #122 Boys Gang by Kitchen #B
Lab Sample ID: J6J1379-93
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1501

Analytical Testing Parameters

Client Sample ID: HS #123 Boys Gang by Kitchen #C
Lab Sample ID: J6J1379-94
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1502

Analytical Testing Parameters

Client Sample ID: HS #129 Pot Sink #D
Lab Sample ID: J6J1379-95
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1502



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: HS #130 Kitchen Bathroom
Lab Sample ID: J6J1379-96
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00159, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1503.

Analytical Testing Parameters

Client Sample ID: HS #1133 Fountain 2nd Floor Tech
Lab Sample ID: J6J1379-97
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1504.

Analytical Testing Parameters

Client Sample ID: HS #134 Tech Building 1st Boys Gang
Lab Sample ID: J6J1379-98
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00349, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1504.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: HS #135 Tech Building 1st Girls Gang
Lab Sample ID: J6J1379-99
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00168, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1505

Analytical Testing Parameters

Client Sample ID: HS #136 Tech Building Wood Shop
Lab Sample ID: J6J1379-AA
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00218, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/06/16 1931

Analytical Testing Parameters

Client Sample ID: HS #137 Room 128 #A
Lab Sample ID: J6J1379-AB
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0107, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1509



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: HS #138 Room 128 #B
Lab Sample ID: J6J1379-AC
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.0135, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1510

Analytical Testing Parameters

Client Sample ID: HS #139 Room 128 #C
Lab Sample ID: J6J1379-AD
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00582, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1510

Analytical Testing Parameters

Client Sample ID: HS #140 Room 128 #D
Lab Sample ID: J6J1379-AE
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00139, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1511



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: HS #141 Room 128 #E
Lab Sample ID: J6J1379-AF
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00186, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1512

Analytical Testing Parameters

Client Sample ID: HS #142 Room 128 #F
Lab Sample ID: J6J1379-AG
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00182, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1512

Analytical Testing Parameters

Client Sample ID: HS #143 Room 128 #G
Lab Sample ID: J6J1379-AH
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1513



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: HS #144 Room 128 #H
Lab Sample ID: J6J1379-AI
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00163, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1514.

Analytical Testing Parameters

Client Sample ID: HS #145 Room 128 #I
Lab Sample ID: J6J1379-AJ
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1516.

Analytical Testing Parameters

Client Sample ID: HS #146 Room 128 #J
Lab Sample ID: J6J1379-AK
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4. Row 2: Lead, 0.00163, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1516.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: HS #147 Room 128 #K
Lab Sample ID: J6J1379-AL
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00106, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1517

Analytical Testing Parameters

Client Sample ID: HS #150 2nd Floor Girls #A
Lab Sample ID: J6J1379-AM
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00284, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1518

Analytical Testing Parameters

Client Sample ID: HS #151 2ndr Floor Girls #B
Lab Sample ID: J6J1379-AN
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: EPA 200.8 Rev 5.4, Lead, 0.00273, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1518





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

Analytical Testing Parameters

Client Sample ID: HS #152 2nd Floor Boys
Lab Sample ID: J6J1379-AO
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, 0.0391, 0.0150, 0.00100, mg/L, G, 12/01/16 1731, 12/05/16 1519

Analytical Testing Parameters

Client Sample ID: HS #125 Dish Sink Kitchen
Lab Sample ID: J6J1379-AP
Sample Type: Grab

Collected By: HT-Client
Collection Date: 10/07/16
Collection Time: 07:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Chicagoland

Table with 8 columns: Metals, Result, Limit, PQL, Units, Note, Prepared, Analyzed. Row 1: Lead, <0.00100, 0.0150, 0.00100, mg/L, 12/01/16 1731, 12/05/16 1520

Laboratory

NY: Microbac Laboratories, Inc., New York Division

Definitions

- AL: Action Level
RL: Reporting Limit
G: Result fails applicable NYS drinking water standards

Cooler Receipt Log

Cooler ID: Default Cooler Temp: 22.0°C

Cooler Inspection Checklist

Table with 4 columns: Item, Yes, No, Yes. Rows: Custody Seals Intact and/or No Evidence of Tampering, COC/Labels Agree, Received on Ice (or not required)

Project Requested Certification(s)

Microbac Laboratories, Inc., New York Division NY Lab ID No.: 10795 New York State Department of Health
Microbac Laboratories, Inc. - Chicagoland NY Lab ID No: 12006 Pennsylvania Department of Environmental Protection
PA DEP ID: 68-04863



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J1379

**Report Comments**

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.

**Reviewed and Approved By:**

A handwritten signature in blue ink that reads "Michael Fifield".

Michael Fifield  
Division Manager  
12/15/2016 08:43

**Go Green:** Contact Michael Fifield to set up email reporting and invoicing options.

*The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. For any feedback concerning our services, please contact Michael Fifield, Project Manager at [michael.fifield@microbac.com](mailto:michael.fifield@microbac.com). You may also contact Michael Fifield, Managing Director at [michael.fifield@microbac.com](mailto:michael.fifield@microbac.com) or Robert Crookston, President at [robert.crookston@microbac.com](mailto:robert.crookston@microbac.com).*

3621 Buck Drive  
 Conland NY 13046  
 Phone: (607) 763-3403 Fax: (607) 763-3416  
 NY #40795, EPA #NY00095

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice

MNY Workorder # **110**



J6J1379

Client Information			Billing/Invoice:			Analysis Requested			Receiving Info. (Lab Use Only)			
Name:	Bainbridge - Guilford		Bill To:			Ice:	YES	NO	Container Material:			
Address:	18 Juliard St. Bainbridge, NY 13733		PO#:	27984		Cooler:	YES	NO	Container Size (in ml):			
Contact:	Howard Thompson		Date Recd:			Sample Temp:	22.02		Preservative:			
Phone:	607-967-0322		Rush TAT Bus. Days:	< 2-5 6-7 7-10		Cooler Seal:	YES	NO	Accepted?	YES NO		
Project:	#4 High School		Release to DIOH:	Yes		Pickup:	YES	NO	Dropoff:	C W		
Quote ID:			Email Results:	Yes <u>hthompson@ggcscd.org</u>		Dropoff:	C	W	Accepted?	YES NO		
			Fax Results:	Yes								
Sample Information			Matrix			Number of Containers for Analysis Requested			Common Field Data			
Description/Location	Date	Time	Initial	Type								
1 #1 HS Boys Gang 2nd fl 32-10a	10/27/16	5:00	HT	DW								
2 #2 HS Boys Gang 2nd fl 32-10b			HT									
3 #4 HS, Room 204 S			HT									
4 #5 HS, Girls Gang 2nd fl 32-10a			HT									
5 #6 HS, Girls Gang 2nd fl 32-10b			HT									
6 DELETE			HT									
7 #9 Tech 2nd S HS, office #A			HT									
8 #9 Tech 2nd S HS, office #B S			HT									
Print Name and Company			Signature			Date/Time			Comments			
Sampled: Howard Thompson			H. Thompson			10/17/16 11:47						
Received: Andrew Canale - Microbac			[Signature]			10/17/16 11:47						
Received:												
Received:												
Received:												

3021 Buck Drive  
 Cortland NY 13045  
 Phone: (607) 753-3403 Fax: (607) 753-3415  
 NY #10795, EPA #NY00085

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice

MINY Workorder #

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name:	Bainbridge - Guilford					Ice:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Address:	18 Sutherland St.					Cooler:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Contact:	Bainbridge, NY 13133					Sample Temp:	22.0°C
Phone:	Contact: Howard Thompson					Cooler Seal:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Project:	#4 High School					Pickup:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Quote ID:		PO#:	27986			Dropoff:	C <input type="checkbox"/> D <input checked="" type="checkbox"/>
Rush TAT Bus. Days:	< 2-5 6-7 7-10	Date Req.:				Accepted?	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Release to DOH:	Yes					Container Material:	
Email Results:	Yes <input checked="" type="checkbox"/> hthompson@bgcscel.org					Container Size (in ml)	
Fax Results:	Yes <input type="checkbox"/>					Preservative	
Sample Information				Comments/Field Data			
Description/Location	Date	Time	Initial	Matrix Type	Number of Containers for Analysis Requested		
1 #10 HS, Staff 2nd Tech	10/7/16	6:00	NY	DW	1		
2 #11 HS, Staff 2nd Tech			NY		1		
3 #16 HS, 218 52 wing #a			NY		1		
4 #17 HS, 218 52 wing #b			NY		1		
5 #18 HS, 218 52 wing #c			NY		1		
6 #19 HS, 218 52 wing #d			NY		1		
7 #22 HS, 221 52 wing			NY		1		
8 #23 HS, Boys Group 2nd #a			NY		1		
9 HS, Boys Group 2nd #a			NY		1		
Print Name and Company				Signature		Date/Time	
Sampled: <i>Howard Thompson</i>				<i>A Thompson</i>		10/7/16 11:47	
Received: Andrew Canale - Microbac				<i>Andrew Canale</i>		10/7/16 11:47	
Received:							
Received:							
Received:							

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice

MNY Workorder #

Client Information			Billing/Invoice:			Analysis Requested			Receiving Info (Lab Use Only)			
Name: Bainbridge - Guilford									Ice: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>			
Address: 18 Swinand St. Bainbridge, NY 13733									Cooler: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>			
Contact: Howard Thompson									Sample Temp: 22.0°C			
Phone: 607 967 6322									Cooler Seal: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
Project: #4 High School									Pickup: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
Quote ID: PO# 27986									Dropoff: C <input checked="" type="checkbox"/> DV <input type="checkbox"/>			
Rush TAT Bus. Days: < 2-5 6-7 7-10									Accepted? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
Release to DOH: Yes									Container Material			
Email Results: Yes <input checked="" type="checkbox"/>									Container Size (in ml)			
Fax Results: Yes <input type="checkbox"/>									Preservative			
Sample Information			Matrix			Number of Containers for Analysis Requested			Comments/Field Data			
Description/Location	Date	Time	Initial	Type								
1 #24 HS Boys Gang 52 #b	10/7/10	6:00	NY	DW								
2 #25 HS Boys Gang 52 #c			NY									
3 #26 HS Boys Gang 52 #c			NY									
4 #27 HS Girls Gang #a			NY									
5 #28 HS Girls Gang #b			NY									
6 #29 HS Girls Gang #c			NY									
7 #30 HS Girls Gang #d			NY									
8 #32 HS 226 wing #a			NY	V								
Print Name and Company			Signature			Date/Time			Comments			
Sampled: H. Thompson			<i>H. Thompson</i>			10/7/16 11:47						
Received: Andrew Carole Microbac			<i>Andrew Carole</i>			10/17/16 11:47						
Received:												
Received:												
Received:												

3924 Brook Drive  
 Conland NY 13045  
 Phone: (607) 763-3403 Fax: (607) 763-3415  
 NY #10795, EPA #NY00035

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice

MNY Workorder #

Client Information				Billing/Invoice:				Analysis Requested				Receiving Info (Lab Use Only)			
Name:	Bainbridge-Guilford	Address:	18 Sutherland St. Bainbridge, NY 13733	PO#:	27986	Date Req:		Ice:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Cooler:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Sample Temp:	22.0°C	Cooler Seal:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Contact:	Howard Thompson	Phone:	607 967 6322	Rush TAT Bus. Days:	< 2-5 6-7 7-10	Release to DOH:	Yes	Pickup:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Dropoff:	C <input type="checkbox"/> G <input type="checkbox"/>	Accepted?	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Container Material	
Project:	#4 High School	Quote ID:		Email Recipient:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Container Size (in Ml)		Preservative		Comments/Field Data			
Email Recipient: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Fax Results: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Billing/Invoice:				Analysis Requested				Receiving Info (Lab Use Only)			
Email Recipient: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Fax Results: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Billing/Invoice:				Analysis Requested				Receiving Info (Lab Use Only)			
Email Recipient: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Fax Results: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Billing/Invoice:				Analysis Requested				Receiving Info (Lab Use Only)			
Sample Information								Number of Containers for Analysis Requested							
Description/Location	Date	Time	Initial	Matrix	Type										
1 #33 96 wing HS, 226 #6 science	10/7/16	6:00	HT	Waste	DW	1									
2 #34 96 wing HS, 226 #6 science			HT	Waste	DW	1									
3 #35 96 wing HS, 226 #6 science			HT	Waste	DW	1									
4 #36 96 wing HS, 226 #6 science			HT	Waste	DW	1									
5 #37 96 wing HS, 226 #6 science			HT	Waste	DW	1									
6 #38 96 wing HS, 226 #6 science			HT	Waste	DW	1									
7 #39 96 wing HS, 228 #6 Lab			HT	Waste	DW	1									
8 #40 96 wing HS, 228 #6 Lab			HT	Waste	DW	1									
Print Name and Company				Signature				Date/Time				Comments			
Sampled: H. Thompson				[Signature]				10/7/16 11:47							
Received: Andrew Canale - Microbac				[Signature]				10/7/16 11:47							
Received:															
Received:															
Received:															

3924 Brook Drive  
 Cortland NY 13806  
 Phone: (607)768-3403 Fax: (607)768-3415  
 NY #10795, EPA #NY00095

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice

MINY Workorder #

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name:	Bainbridge-Guilford					Ice:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Address:	18 Juliana Street					Cooler:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
	Bainbridge, NY 13933					Sample Temp:	22.0°C
Contact:	Howard Thompson					Cooler Sent:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Phone:	607 967 6322					Pickup:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Project:	#4 High School					Dropoff:	C <input type="checkbox"/> W <input type="checkbox"/>
Quote ID:		PO#:	27986			Accepted?	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Rush TAT Bus. Days:	< 2-6 5-7 7-10	Date Req.:				Container Material:	
Release to DOH:	Yes					Container Size (in ml):	
Email Results:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					Preservative:	
Fax Results:	Yes <input type="checkbox"/> No <input type="checkbox"/>					Comments/Field Data:	
Sample Information		Matrix		Number of Containers for Analysis Requested			
Description/Location	Date	Time	Initial	Type			
1 #41 96 wing HS, 228 HC Lab	10/16	6:00	HT	DW	1		
2 #42 96 wing HS, 228, #d Lab			HT		1		
3 #43 96 wing HS, 228, #e Lab			HT		1		
4 #44 96 wing HS, 228, #f Lab			HT		1		
5 #45 96 wing HS, 228 #g Lab			HT		1		
6 #46 96 wing HS, 228 #h Lab			HT		1		
7 #47 96 wing HS, 228 #i Lab			HT		1		
8 #48 96 wing HS, 229 #a			HT		1		

Sampled: *H. Thompson* Signature: *[Signature]* Date/Time: 10/16 1147  
 Received: *Andrew Canale - Microbac* Signature: *[Signature]* Date/Time: 10/16 1147  
 Received: \_\_\_\_\_  
 Received: \_\_\_\_\_  
 Received: \_\_\_\_\_

3621 Buck Drive  
 Cortland NY 13845  
 Phone: (607) 768-3403 Fax: (607) 768-3415  
 NY #10795, EPA WNY00995

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice

MNY Workorder #

Client Information			Billing/Invoice:			Analysis Requested				Receiving Info (Lab Use Only)		
Name:	Brainbridge - Guilford					Ice:	YES	NO				
Address:	18 Sulicant Street Brainbridge, NY 13733					Cooler:	YES	NO				
Contact:	Howard Thompson					Sample Temp:	22.02					
Phone:	607 967 6322					Cooler Seal:	YES	NO				
Project:	#4 High School					Pickup:	YES	NO				
Quote ID:	PO# 27986					Dropoff:	C	W				
Rush TAT Bus. Days:	< 2-5 6-7 7-10					Accepted?	YES	NO				
Release to DOH: Yes						Container Material:						
Email Results: Yes	<input checked="" type="checkbox"/> hthompson@bgcsl.org					Container Size (in Ml)						
Fax Results: Yes	<input checked="" type="checkbox"/>					Preservative						
Sample Information						Number of Containers for Analysis Requested		Comments/Field Data				
Description/Location	Date	Time	Initial	Matrix	Type							
1 #49 HS, 229 #b	10/7/16	6:00	HT	Plastic	DW	1						
2 #50 HS, 229 #c			HT	250ml		1						
3 #51 HS, 229 #d			HT	HWD2		1						
4 #52 HS, 229 #e			HT			1						
5 #53 HS, 229 #f			HT			1						
6 #54 HS, 229 #g			HT			1						
7 #55 HS, 229 #h			HT			1						
8 #56 HS, 229 #i			HT			1						
Print Name and Company						Signature		Date/Time				
Sampled: H. Thompson						<i>Howard Thompson</i>		10/7/16 11:47				
Received: Andrew Canute - Microbac						<i>Andrew Canute</i>		10/7/16 11:47				
Received:												
Received:												
Received:												



3821 Bluck Drive  
 Cortland NY 13848  
 Phone: (607) 763-3403 Fax: (607) 763-3415  
 NY #10795, EPA #NY00896

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice

MNY Workorder #

Client Information				Billing/Invoice:			
Name: Bainbridge-Guilford				Address: 18 Sutherland Street			
Contact: Howard Thompson				Phone: 607 967 6322			
Project: #4 High School				PO#: 27986			
Quota ID:				Rush TAT Bus. Days: < 2-5 6-7 7-10			
Release to DOH: Yes				Date Req.:			
Email Results: <input checked="" type="checkbox"/> Yes				bthompson@bgcsd.org			
Fax Results: <input checked="" type="checkbox"/> Yes				see.8fb			

  

Sample Information				Analysis Requested				Receiving Info (Lab Use Only)			
Description/Location	Date	Time	Initial	Matrix	Type	Number of Containers for Analysis Requested	Accepted?	Container Material	Container Size (in Ml)	Preservative	Comments/Field Data
1 HS, 229 # J	10/7/16	6:00	NT	DW	DW	1	<input checked="" type="checkbox"/> YES	NO			
2 HS, 229 # K			NT			1	<input checked="" type="checkbox"/> YES	NO			
3 HS, 229 # L			NT			1	<input checked="" type="checkbox"/> YES	NO			
4 HS, 229 # M			NT			1	<input checked="" type="checkbox"/> YES	NO			
5 HS, 229 # N			NT			1	<input checked="" type="checkbox"/> YES	NO			
6 HS, 230 #a science			NT			1	<input checked="" type="checkbox"/> YES	NO			
7 HS, 230 #b science			NT			1	<input checked="" type="checkbox"/> YES	NO			
8 HS, 230 #c science			NT			1	<input checked="" type="checkbox"/> YES	NO			

  

Sampled:	Received:	Received:	Received:	Received:
H Thompson	Andrew Canale - Microbac			
Signature: <i>Howard Thompson</i>	Signature: <i>Andrew Canale</i>			
Date/Time: 10/7/16 11:47	Date/Time: 10/17/16 11:47			

3921 Buck Drive  
 Cortland NY 13046  
 Phone: (607) 763-3403 Fax: (607) 763-3445  
 NY #10795, EPA #NY00096

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice

MNY Workorder #

Client Information				Billing/Invoice:			
Name: Bainbridge - Guilford				PO#: 27986			
Address: 18 Guilford Street				Date Req.:			
Bainbridge, NY 13733							
Contact: Howard Thompson							
Phone: 607 967 6322							
Project: # 4 High School							
Quote ID:							
Rush TAT Bus. Days: <2 2-5 5-7 7-10							
Release to DOH: Yes							
Email Results: <input checked="" type="checkbox"/> Yes				kthompson@bgcsd.org			
Fax Results: <input type="checkbox"/> Yes							
Sample Information							
Description/Location	Date	Time	Initial	Matrix	Type	Number of Containers for Analysis Requested	Comments/Field Data
1 AS, # 66 114 # a S	10/17/16	6:00	NT	Plastic	DW		
2 AS, # 67 Rm 114 # b S			NT	350ml			
3 AS, # 68 Rm 114 # c S			NT	HMB3			
4 AS, # 69- Rm 113 # a S			NT				
5 AS, # 70 Rm 113 # b S			NT				
6 AS, # 71 Rm 113 # c S			NT				
7 AS, # 72 Rm 113 # d S			NT				
8 AS, # 74 back rm # a-			NT				

  

Signature	Date/Time	Comments
<i>[Signature]</i>	10/17/16 11:47	
<i>[Signature]</i>	10/17/16 11:47	

  

Print Name and Company	Signature	Date/Time
Sampled: H THOMPSON	<i>[Signature]</i>	10/17/16 11:47
Received: Andrew Canale - Miscelane	<i>[Signature]</i>	10/17/16 11:47
Received:		
Received:		
Received:		

3821 Buok Drive  
 Corland NY 13045  
 Phone: (607) 763-3403 Fax: (607) 763-3415  
 NY #10795, EPA #NY000596

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice

MNY Workorder #

Client Information				Billing/Invoice:				
Name: Bainbridge - Guilford				Analysis Requested				
Address: 18 Sullivan Street				Receiving Info (Lab Use Only)				
Bainbridge, NY 13733				Ice: YES (NO)				
Contact: Howard Thompson				Cooler: YES (NO)				
Phone: 607 967-6322				Sample Temp: 22.0°C				
Project: #4 High School				Cooler Seal: YES (NO)				
Quote ID: PO# 27986				Pickup: YES (NO)				
Rush TAT Bus. Days: < 2-5 6-7 7-10				Dropoff: C (M)				
Release to DOH: Yes				Accepted? (YES) NO				
Email Results: Yes				Container Material				
Fax Results: Yes				Container Size (Lb)				
a.thompson@cgcsd.org				Preservative				
				Comments/Field Data				
Sample Information								
Description/Location	Date	Time	Initial	Matrix Type	Number of Containers for Analysis Requested	Comments	Date/Time	
1 HS # 75 Dark rm # b	10/7/16	6:00	NT	DW	1		10/7/16 11:47	
2 HS # 76. rm 114 5			NT		1		10/7/16 11:47	
3 HS # 78 Boys gang #a			NT		1			
4 HS # 79 Boys gang #b			NT		1			
5 HS # 80 Boys gang #c			NT		1			
6 HS # 81 Boys gang #d			NT		1			
7 HS # 82 Girls gang #a			NT		1			
8 HS # 83 Girls gang #b			NT		1			
Print Name and Company				Signature				
H THOMPSON				[Signature]				
Received: Andrew Canale Microbac				[Signature]				
Received:				[Signature]				
Received:				[Signature]				
Received:				[Signature]				

3621 Buck Drive  
 Cortland NY 13805  
 Phone: (607) 753-3403 Fax: (607) 753-3446  
 NY #10795, EPA #NY00895

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice

MNY Workorder #

Client Information				Billing/Invoice:				Analysis Requested				Receiving Info (Lab Use Only)			
Name: Bainbridge, Guilford				PO#: 27986				Ice: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>				Cooler: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
Address: 18 Sullivan Street				Date Req: 6-7-10				Sample Temp: 20.0°C				Cooler Seal: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
Contact: Howard Thompson				Rush TAT Bus. Days: <2 2-5 6-7 7-10				Pickup: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>				Dropoff: C <input type="checkbox"/> W <input type="checkbox"/>			
Phone: (607) 967 6322				Release to DOH: Yes				Accepted? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>				Container Material			
Project: #4 High School				Email Results: <input checked="" type="checkbox"/> Yes				Container Size (in ml)				Preservative			
Quote ID:				Fax Results: <input checked="" type="checkbox"/> Yes				Common/Field Data							
Rush TAT Bus. Days: <2 2-5 6-7 7-10				hthompson@bgcsd.org											
Matrix				Type											
Initial				Time				Date				Sample Information			
1				HS # 1st 52				10/17/16 7:00				HS # 84, Girls gym #c			
2				HS # 1st 52								HS # 85, Girls Locker #a			
3				HS # 1st 62								HS # 86, Girls Locker #b			
4				HS # 1st 52								HS # 87, Girls Locker #c			
5				HS # 88								HS # 88, Girls PE Office			
6				HS # 96								HS # 96, Rm 106, b			
7				HS # 97								HS # 97, Boy PE office			
8				HS # 98								HS # 98, Boys lock, a			
Signature				Date/Time				Comments							
Sampled: H Thompson				10/16 11:47											
Received: Andrew Canale - Microbac				10/17/16 1447											
Received:															
Received:															
Received:															

3821 Buck Drive  
 Cortland NY 13806  
 Phone: (607) 768-3403 Fax: (607) 768-3415  
 NY #10795, EPA #NY000936

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice

MNY Workorder #

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name:	Bainbridge - Guilford					Ice:	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Address:	18 Juliana St Bainbridge, NY 13733					Cooler:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Contact:	Howard Thompson					Sample Temp:	22.0 °C
Phone:	607 967 6322					Cooler Seal:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Project:	#4 High School					Pickup:	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Quote ID:		PO#:	27986			Dropoff:	C <input checked="" type="checkbox"/> M <input type="checkbox"/>
Rush TAT Bus. Days:	< 2-5 6-7 7-10	Date Req.:				Accepted?	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Release to DOH:	Yes					Container Material:	
Email Results:	Yes <input checked="" type="checkbox"/>	Email: <u>hthompson@bgcsd.org</u>				Container Size (in ltr):	
Fax Results:	Yes <input type="checkbox"/>					Preservative:	
Sample Information		Number of Containers for Analysis Requested		Comments/Field Data			
Description/Location	Date	Time	Initial	Matrix	Type		
1 HS 99, Boys lock, 6	10/7/16	7:00	NT		DW		
2 HS 109 Boy Gym Ind 34a			NT				
3 HS 110 " " 116			NT				
4 HS # Ladies Staff 1st			NT				
5 HS # Men's Staff 1st			NT				
6 HS # 1st 34 5			NT				
7 HS # 1st 34 5			NT				
8 HS # 108, Nurse 5			NT				

Signature: *[Signature]* Date/Time: 10/7/16 11:47  
 Received: Andrew Canale - Microbac Date/Time: 10/7/16 11:47  
 Received: \_\_\_\_\_  
 Received: \_\_\_\_\_  
 Received: \_\_\_\_\_



3021 Buck Drive  
 Cortland NY 13048  
 Phone: (607) 765-3409 Fax: (607) 765-3415  
 NY #10795, EPA #NY00595

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice

MNY Workorder #

Client Information			Billing/Invoice:		
Name:	Bainbridge - Guilford		PO#	27986	
Address:	18 Sullivan St.		Rush TAT Bus. Days:	<2 2-5 6-7 7-10	Date Req.:
Contact:	Howard Thompson		Project:	#4 High School	
Phone:	607-967-6322		Quote ID:		
Release to DOH: Yes			Email Results: <input checked="" type="checkbox"/> Yes		
Fax Results: Yes			A.thompson@cgcsd.org		
Sample Information					
Description/Location	Date	Time	Initial	Matrix Type	Number of Containers for Analysis Requested
1 HS # Kitchen	10/7/16	7:00	NT	DW	1
2 HS # 130, Bathroom			NT		1
3 HS # 133, 2nd Floor Tech			NT		1
4 HS # Tech Bldg			NT		1
5 HS # 135 1st Girls Gym			NT		1
6 HS # Tech Bldg			NT		1
7 HS # 136 Wood Shop			NT		1
8 HS # 137, Rm 128 S			NT		1
9 HS # 138, Rm 128 Hb			NT		1
10 HS # 139, Rm 128 Hd			NT		1

  

Receiving Info (Lab Use Only)		Comments/Field Data	
Ice:	YES <input checked="" type="checkbox"/> NO	Accepted?	YES <input checked="" type="checkbox"/> NO
Cooler:	YES <input checked="" type="checkbox"/> NO	Container Material	
Sample Temp:	22.0	Container Size (in Ml)	
Cooler Seal:	YES <input checked="" type="checkbox"/> NO	Preservative	
Pickup:	YES <input checked="" type="checkbox"/> NO		
Dropoff:	C <input checked="" type="checkbox"/> QP		

  

Signature	Date/Time	Comments
<i>Andrew Canale</i>	10/7/16 11:47	
<i>Andrew Canale - Microbac</i>	10/7/16 11:47	

3021 Buck Drive  
 Cortland NY 13045  
 Phone: (607) 753-3403 Fax: (607) 753-3416  
 NY #10795, EPA #NY00085

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice

MNY Workorder #

Client Information				Billing/Invoice:			
Name: Bainbridge-Guilford				Analysis Requested			
Address: 18 Sutherland St, Bainbridge, NY 13733				Receiving Info (Lab Use Only)			
Contact: Howard Thompson				Ice: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>			
Phone: 607-969-6322				Cooler: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>			
Project: #4 High School				Sample Temp: 20.0°C			
Quote ID: PO# 27986				Cooler Seal: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>			
Rush TAT Bus. Days: < 2-5 6-7 7-10				Pickup: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>			
Release to DOH: Yes				Dropoff: C <input type="checkbox"/> W <input checked="" type="checkbox"/>			
Email Results: Yes <input checked="" type="checkbox"/> hthompson@cgcsd.org				Accepted? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>			
Fax Results: Yes <input type="checkbox"/>				Container Material			
				Container Size (in ml)			
				Preservative			
				Common/Field Data			
Sample Information				Number of Containers for Analysis Requested			
Description/Location	Date	Time	Initial	Matrix	Type		
1 AS, 140, Rm 128 #d	9/7/16	7:00	HT	Plastic	PW	1	
2 AS, 141, Rm 128 #e			HT	Plastic		1	
3 AS, 142, Rm 128 #f			HT	Plastic		1	
4 AS, 143, Rm 128 #g			HT	Plastic		1	
5 AS, 144, Rm 128 #h			HT	Plastic		1	
6 AS, 145, Rm 128 #i			HT	Plastic		1	
7 AS, 146, Rm 128 #j			HT	Plastic		1	
8 AS, 147, Rm 128 #k			HT	Plastic		1	
Print Name and Company				Signature			
Sampled: H Thompson				Date/Time: 10/7/16 11:47			
Received: Andrew Conate - Microbac				Date/Time: 10/7/16 11:47			
Received:							
Received:							
Received:							
Received:							



**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice

MNY Workorder #

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name: Bainbridge - Guilford						Ice: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Address: 18 Sutherland St.						Cooler: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Bainbridge, NY 13733						Sample Temp: 22.0°C	
Contact: Howard Thompson						Cooler Seal: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Phone: 607-967-0322						Pickup: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Project: #4 High School						Dropoff: C <input type="checkbox"/> D <input checked="" type="checkbox"/>	
Quote ID:		PO#: 27986				Accepted? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Rush TAT Bus. Days: < 2-5 6-7 7-10		Date Req.:				Container Material	
Release to DOH: Yes						Container Size (in ml)	
Email Results: <input checked="" type="checkbox"/> Yes						Preservative	
Fax Results: <input type="checkbox"/> Yes						Comments/Field Data	
Sample Information		Matrix		Number of Containers for Analysis Requested			
Description/Location	Date	Time	Initial	Type			
1 HS, 150, Girls #a	10/7/16	7:00	HT	PW	1		
2 HS, # 2nd Floor			HT		1		
3 HS, 181, Girls #b			HT		1		
4 HS, # 2nd Floor			HT		1		
5 HS, 152, Boys							
6 HS, 125 Dish sink kitchen							
7							
8							
Print Name and Company		Signature		Date/Time		Comments	
Sampled: H THOMPSON		[Signature]		10/7/16 11:47			
Received: Andrew Coate - Microbac		[Signature]		10/7/16 11:47			
Received:							
Received:							
Received:							



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0335

Bainbridge-Guilford Central School District

Project Name: #2 Bus Maintenance

Howard Thompson
18 Juliard Street
Bainbridge, NY 13733

Project / PO Number: 27986
Received: 10/04/2016 11:00
Reported: 12/19/2016 15:13

Analytical Testing Parameters

Client Sample ID: Bus Garage #1 - Men's Bathroom
Lab Sample ID: J6J0335-01
Sample Type: Grab

Collected By: HT-Client
Collection Date: 09/30/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

Table with 8 columns: 200.8- ICP-MS, Result, MCL, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: 200.8, Lead, <0.001, 0.001, mg/L, 12/07/16 1005, 12/08/16 1022

Analytical Testing Parameters

Client Sample ID: Bus Garage #2 - Ladies's Bathroom
Lab Sample ID: J6J0335-02
Sample Type: Grab

Collected By: HT-Client
Collection Date: 09/30/16
Collection Time: 06:00

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

Table with 8 columns: 200.8- ICP-MS, Result, MCL, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: 200.8, Lead, 0.0019, 0.001, mg/L, 12/06/16 1123, 12/08/16 1833

Laboratory

NY: Microbac Laboratories, Inc., New York Division

Definitions

- AL: Action Level
RL: Reporting Limit
G: Result fails applicable NYS drinking water standards

Cooler Receipt Log

Cooler ID: Default Cooler Temp: °C

Cooler Inspection Checklist

Checklist table with 4 columns: Item, Yes, Item, Yes. Items include Custody Seals Intact and/or No Evidence of Tampering, COC/Labels Agree, Received on Ice (or not required), Containers Intact, Preservation Correct (or not required).



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0335

**Project Requested Certification(s)**

Microbac Laboratories, Inc., New York Division  
NY Lab ID No.: 10795  
Microbac Laboratories, Inc. Dayville (NY 11549)  
NY Lab ID No: 11549

New York State Department of Health  
New York State Department of Health

**Report Comments**

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.

**Reviewed and Approved By:**

Michael Fifield  
Division Manager  
12/19/2016 15:13

**Go Green:** Contact Michael Fifield to set up email reporting and invoicing options.

*The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. For any feedback concerning our services, please contact Michael Fifield, Project Manager at michael.fifield@microbac.com. You may also contact Michael Fifield, Managing Director at michael.fifield@microbac.com or Robert Crookston, President at robert.crookston@microbac.com.*

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice

MNY Workorder # \_\_\_\_\_

Client Information			Billing/Invoices:			Analysis Requested			Receiving Info (Lab Use Only)		
Name: Bainbridge-Guilford			Address: 18 Sullivan St. Bainbridge, NY 13133			200.8 lead			Ice: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		
Contact: Howard Thompson			Phone: 607-961-0392			ASDmc			Cooler: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		
Project: # 2 Bus Maintenance			Quote ID: PO# 29986			ASTMC			Sample Temp: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		
Rush TAT Bus Days: <2 2-5 6-7 7-10			Date Req: _____			Number of Containers for Analysis Requested			Cooler Seal: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		
Released to DOH: Yes			Email Results: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			Preservative			Pickup: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		
Fax Results: Yes			http://thompson@bgcsd.org			Container Material			Dropoff: <input checked="" type="checkbox"/> G <input type="checkbox"/> W		
Sample Information			Container Size (in ml)			Accepted? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO			Comments		
Description/Location	Date	Time	Initial	Matrix Type	Number of Containers for Analysis Requested	Preservative	Container Material	Container Size (in ml)	Accepted?	Comments	
1 Bus Garage - 1 Mechanics Parktown	9/30/16	6:00	HT	DA	1						
2 Bus Garage - 2 Ladies Bathroom	9/30/16	6:00	HT	DA	1						
3											
4											
5											
6											
7											
8											
Print Name and Company			Signature			Date/Time			Comments		
Howard Thompson			Howard Thompson			9/30 AM					
Howard Thompson			Howard Thompson			10/11/16 11:00					

16J0335





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0336

Bainbridge-Guilford Central School District

Project Name: #5 - Concession

Howard Thompson  
18 Juliard Street  
Bainbridge, NY 13733

Project / PO Number: 27986  
Received: 10/04/2016 11:00  
Reported: 12/19/2016 15:13

Analytical Testing Parameters

Client Sample ID: Concession #1 - Boy's Bathroom #A  
Lab Sample ID: J6J0336-01  
Sample Type: Grab

Collected By: HT-Client  
Collection Date: 09/30/16  
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	MCL	PQL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.002		0.001	mg/L		12/06/16 1145	12/08/16 1449

Analytical Testing Parameters

Client Sample ID: Concession #2 - Boy's Bathroom #B  
Lab Sample ID: J6J0336-02  
Sample Type: Grab

Collected By: HT-Client  
Collection Date: 09/30/16  
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	MCL	PQL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0018		0.001	mg/L		12/06/16 1145	12/08/16 1927

Analytical Testing Parameters

Client Sample ID: Concession #3 - Girl's Bathroom #A  
Lab Sample ID: J6J0336-03  
Sample Type: Grab

Collected By: HT-Client  
Collection Date: 09/30/16  
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

200.8- ICP-MS	Result	MCL	PQL	Units	Note	Prepared	Analyzed
Method: 200.8							
Lead	0.0018		0.001	mg/L		12/07/16 1005	12/09/16 1510



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0336

Analytical Testing Parameters

Client Sample ID: Concession #4 - Girl's Bathroom #B
Lab Sample ID: J6J0336-04
Sample Type: Grab

Collected By: HT-Client
Collection Date: 09/30/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

Table with 8 columns: 200.8- ICP-MS, Result, MCL, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: 200.8, Lead, 0.0016, 0.001, mg/L, 12/06/16 1145, 12/08/16 1929

Analytical Testing Parameters

Client Sample ID: Concession #5 - Stand Area
Lab Sample ID: J6J0336-05
Sample Type: Grab

Collected By: HT-Client
Collection Date: 09/30/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

Table with 8 columns: 200.8- ICP-MS, Result, MCL, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: 200.8, Lead, 0.0053, 0.001, mg/L, 12/06/16 1145, 12/08/16 2306

Analytical Testing Parameters

Client Sample ID: #6 Spigot/Machine
Lab Sample ID: J6J0336-06
Sample Type: Grab

Collected By: HT-Client
Collection Date: 09/30/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

Table with 8 columns: 200.8- ICP-MS, Result, MCL, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: 200.8, Lead, 0.0014, 0.001, mg/L, 12/06/16 1145, 12/08/16 2307



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0336

Analytical Testing Parameters

Client Sample ID: Team Building A
Lab Sample ID: J6J0336-07
Sample Type: Grab

Collected By: HT-Client
Collection Date: 09/30/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

Table with 8 columns: 200.8- ICP-MS, Result, MCL, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: 200.8, Lead, 0.0034, 0.001, mg/L, 12/06/16 1145, 12/08/16 2309

Analytical Testing Parameters

Client Sample ID: Team Building B
Lab Sample ID: J6J0336-08
Sample Type: Grab

Collected By: HT-Client
Collection Date: 09/30/16
Collection Time: 06:30

Analyses Subcontracted to: Microbac Laboratories, Inc. Dayville (NY 11549)

Table with 8 columns: 200.8- ICP-MS, Result, MCL, PQL, Units, Note, Prepared, Analyzed. Row 1: Method: 200.8, Lead, 0.0052, 0.001, mg/L, 12/06/16 1145, 12/08/16 2311

Laboratory

NY: Microbac Laboratories, Inc., New York Division

Definitions

- AL: Action Level
RL: Reporting Limit
G: Result fails applicable NYS drinking water standards

Cooler Receipt Log

Cooler ID: Default Cooler Temp: °C

Cooler Inspection Checklist

Table with 4 columns: Item, Yes, Item, Yes. Rows: Custody Seals Intact and/or No Evidence of Tampering, COC/Labels Agree, Received on Ice (or not required)

Project Requested Certification(s)

Microbac Laboratories, Inc., New York Division NY Lab ID No.: 10795 New York State Department of Health
Microbac Laboratories, Inc. Dayville (NY 11549) NY Lab ID No: 11549 New York State Department of Health



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J6J0336

**Report Comments**

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.

**Reviewed and Approved By:**

A handwritten signature in blue ink that reads "Michael Fifield".

Michael Fifield  
Division Manager  
12/19/2016 15:13

**Go Green:** Contact Michael Fifield to set up email reporting and invoicing options.

*The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. For any feedback concerning our services, please contact Michael Fifield, Project Manager at [michael.fifield@microbac.com](mailto:michael.fifield@microbac.com). You may also contact Michael Fifield, Managing Director at [michael.fifield@microbac.com](mailto:michael.fifield@microbac.com) or Robert Crookston, President at [robert.crookston@microbac.com](mailto:robert.crookston@microbac.com).*





J6J0336

3021 Buick Drive  
 Conland NY 13046  
 Phone: (607) 763-3403 Fax: (607) 763-3416  
 NY #10795, EPA #NY000935

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice

MNY Workorder #

Client Information			Billing/Invoice:			Analysis Requested			Receiving Info (Lab Use Only)			
Name:	Bainbridge - Guilford					Ice:	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO				
Address:	18 Sutherland St.					Cooler:	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO				
Contact:	Howard Thompson					Sample Temp:						
Phone:	967-6322 (607)					Cooler Seal:	<input type="checkbox"/> YES	<input type="checkbox"/> NO				
Project:	#5 - CONSESSION					Pickup:	<input type="checkbox"/> YES	<input type="checkbox"/> NO				
Quote ID:		PO#: 27986				Dropoff:	<input type="checkbox"/> C	<input type="checkbox"/> W				
Rush TAT Bus. Days:	< 2-5 6-7 7-10	Date Req:				Accepted?:	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO				
Release to DOH: Yes						Container Material:						
Email Results:	<input checked="" type="checkbox"/> Yes	hthompson@bgcsd.org				Container Size (in Mil):						
Fax Results:	<input type="checkbox"/> Yes					Preservative:						
Sample Information												
Description/Location	Date	Time	Initial	Matrix	Type	Number of Containers for Analysis Requested			Comments/Field Data			
1 CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#1 - BOYS BATHROOM #2	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#2 - BOYS BATHROOM #3	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#3, GIRLS BATHROOM	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#4, GIRLS BATHROOM	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#5 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#6 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#7 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#8 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#9 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#10 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#11 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#12 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#13 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#14 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#15 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#16 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#17 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#18 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#19 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#20 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#21 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#22 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#23 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#24 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#25 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#26 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#27 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#28 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#29 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#30 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#31 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#32 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#33 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#34 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#35 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#36 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#37 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#38 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#39 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#40 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#41 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#42 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#43 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#44 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#45 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#46 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#47 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#48 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#49 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#50 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#51 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#52 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#53 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#54 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#55 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30	HT	DD	DD	1						
#56 - CONSESSION	9/30/16	6:30	HT	DD	G	1						
CONSESSION	9/30/16	6:30										

3021 Buck Drive  
 Corland NY 13045  
 Phone: (607)763-3408 Fax: (607)763-3416  
 NY #10795, EPA #NY00936

**Microbac Laboratories, Inc.**  
**CHAIN OF CUSTODY**

Samples must be returned on ice  
 MNY Workorder #

Client Information		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only)	
Name: Bamberidge - Guilford		PO#: 27984	Date Req: _____			Ice: YES NO	YES NO
Address: 18 Galiana Ct.						Cooler: YES NO	YES NO
City: Bamberidge, NY 13713						Sample Temp: _____	
Contact: Howard Thompson						Cooler Seal: YES NO	YES NO
Phone: 967-6322 (607)						Pickup: YES NO	YES NO
Project: H. Team Building						Dropoff: C W	
Quote ID: _____						Accepted? YES NO	YES NO
Rush TAT Bus. Days: <2 2-5 6-7 7-10						Container Material: _____	
Release to DOH: Yes						Container Size (in ml): _____	
Email Results: <input checked="" type="checkbox"/> Yes						Preservative: _____	
Fax Results: <input checked="" type="checkbox"/> Yes						Comments/Field Data	
Email: hthompson@bgsed.org							
Sample Information				Number of Containers for Analysis Requested			
Description/Location	Date	Time	Initial	Matrix Type	1	2	3
1 Team Building	9/30/16	6:30 AM	HT	DW	1		
2 Team Building	9/30/16	6:30 AM	HT	DW	1		
3							
4							
5							
6							
7							
8							
Print Name and Company				Signature		Date/Time	
Howard Thompson				Howard Thompson		9/30/16 6:30 AM	
Alanna Dawson				Alanna Dawson		9/4/16 11:00 AM	
Received: _____				Received: _____		Received: _____	
Received: _____				Received: _____		Received: _____	
Received: _____				Received: _____		Received: _____	
Received: _____				Received: _____		Received: _____	

336

mm 9

# PURCHASE ORDER

27986

Page 1 of 1

Bainbridge-Guilford CSD  
 18 Juliard St.  
 Bainbridge, NY 13733  
 607-967-6341 607-967-4231 (Fax)

DATE: 9/20/2016  
 VENDOR #: 8694  
 REQUISITION #:

VENDOR PHONE:

**ORDER TO:**

MICROBAC  
 3821 BUCK DRIVE  
 CORTLAND, NY 13045

**SHIP TO:**

Greenlawn Elementary School  
 43 Greenlawn Avenue  
 Bainbridge, NY 13733

Attn: HOWARD THOMPSON

Unit price increases greater than 10% need approval. This is a governmental purchase order which may be accepted in lieu of exemption certificate for sales tax purposes. FEDERAL TAX I.D. 15-6002125

Order Quantity	Item Description	Unit Cost	Discount	Shipping	Extended Cost
37.00 EA	PROJECT #1 GUILFORD WATER LEAD TESTS	15.0000			555.00
3.00 EA	PROJECT #2 BUS GARAGE WATER LEAD TESTS	15.0000			45.00
80.00 EA	PROJECT #3 GREENLAWN WATER LEAD TESTS	15.0000			1,200.00
126.00 EA	PROJECT #4 HIGH SCHOOL WATER LEAD TESTS	15.0000			1,890.00
5.00 EA	PROJECT #5 CONCESSION BLDG WATER LEAD TESTS	15.0000			75.00
2.00 EA	PROJECT #6 TEAM BUILDING WATER LEAD TESTS	15.0000			30.00
	PER QUOTE #NY-146				
<b>Total:</b>					3,795.00

**INSTRUCTIONS TO VENDOR**

1. Please ship prepaid. Do not make collect shipments
2. Purchase order must appear on all packages, delivery slips and invoices
3. Itemized packing slip must accompany each shipment
4. Charge and mail invoice to above address. Attn: Business Office
5. It is required the Material Safety Data Sheets which may exist for any item listed be sent with the order

*Janice Rideout*

---

Purchasing Agent